

| Vendor | Part No. | Size | SS/DS | Chip Brand | Timing | Voltage | CPU Series | RAM Speed | Run Speed | DIMM socket support (Optional) | | |
|-------------------|--------------------------------|---------|-------|------------|-------------|---------|------------------------|-----------|-----------|--------------------------------|--------|--------|
| | | | | | | | | | | 1 DIMM | 2 DIMM | 4 DIMM |
| Hyper X | HX421C13PBK4/16 | 4x 4GB | SS | SK Hynix | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | • |
| CORSAIR | CMV8GX4M1A2133C15 | 8GB | DS | Samsung | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | |
| Hyper X | HX421C13SBK4/16 | 4x 4GB | SS | SK Hynix | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | |
| Kingston | KVR21N15D8/8 | 8GB | DS | SK Hynix | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | |
| GALAXY | GAM4DBLBM213315IE081C | 8GB | DS | - | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | |
| CORSAIR | CMK16GX4M4A2133C13 (Ver5.29) | 4x 4GB | SS | - | 13-15-15-28 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | • |
| Gell | GPR48GB2133C15DC | 2x 4GB | SS | Micron | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | |
| TEKISM | T4U2133B8G15-SAD | 8GB | DS | Samsung | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | • |
| CENTURY MICRO INC | PC4-17000 | 8GB | DS | SK Hynix | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | | | • |
| ADATA | AX4U2133W4G15-QRZ | 4x 4GB | SS | - | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | • |
| ADATA | AD4U2133W8G15-B | 8GB | DS | SK Hynix | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | |
| Crucial | CT8G4DFD8213.16FA11 | 4x 8GB | DS | Micron | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | |
| G.SKILL | F4-2133C15S-8GNT | 8GB | DS | SK Hynix | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | • |
| PATRIOT | PSD48G21332 | 8GB | DS | PAIROT | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | |
| Apacer | AU08GGB13CDTBGC | 8GB | DS | APACER | 16-16-16-36 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | |
| SAMSUNG | M378A1K43BB1-CPB | 8GB | SS | Samsung | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | |
| Hyper X | HX421C14FBK2/8 | 2x 4GB | SS | Micron | 14-14-14-35 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | |
| Hyper X | HX421C14FB/4 | 4GB | SS | SK Hynix | 14-14-14-35 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | |
| V-color | TC48G21S818-IMS | 4x 8GB | SS | Micron | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | |
| Team | TED416G2133C15BK | 16GB | DS | Micron | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | |
| SAMSUNG | M378A5143EB1-CPB | 4GB | SS | Samsung | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | |
| SAMSUNG | M378A5143EB1-CPB | 4GB | SS | Samsung | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | |
| Team | TED48G2133C15BK | 8GB | SS | SpecTek | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | |
| ANUCCELL | GRPIF1621033818594 | 8GB | DS | ANUCCELL | 16-16-16-35 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | |
| Xiede | 1.2V-PC4-17000-1620 | 4GB | SS | Micron | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | |
| Xiede | 1.2V-PC4-17000-1620 | 8GB | DS | SK Hynix | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | |
| V-color | TC48G21S815 | 8GB | SS | SK Hynix | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | |
| SAMSUNG | M378A2K43BB1CPB | 16GB | DS | Samsung | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | |
| G.SKILL | F4-2133C15Q2-64GRR | 8x 8GB | SS | SK Hynix | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | • |
| Crucial | CT16G4DFD8213.C16FAD1 | 16GB | DS | Micron | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | |
| Crucial | CT8G4DFD8213.C16FDR2 | 8GB | DS | Micron | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | • |
| Crucial | CT4G4DFS8213.C8FBD2 | 4GB | SS | Micron | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | • |
| Gell | GFY48GB2133C15DC | 4GB | SS | - | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | • |
| Klevv | IM48GU88N21-FFFHMB | 8GB | SS | SK Hynix | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | • |
| Klevv | IM44GU48N21-FFFHAB | 4GB | SS | SK Hynix | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | • |
| Klevv | IM4AGU88N21-FFFHMB | 16GB | DS | SK Hynix | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | • |
| Gell | GPR432GB2133C15QC | 8GB | SS | Micron | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | • |
| SK HYNIX | HMA451U6AFR8N-TF | 4x 4GB | SS | SK Hynix | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | |
| GLOWAY | STK4U2133D15041C/ PC4-17000 | 4GB | SS | - | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | • |
| G.SKILL | F4-2133C15Q-64GFX | 4x 16GB | DS | - | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | • |
| G.SKILL | F4-2133C15Q-32GFX | 4x 8GB | SS | - | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | • |
| AVANT | AVW641GU67J5213N2-SAEP | 8GB | DS | Samsung | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | |
| AVANT | AVW642GU42J5213N2-SAEP | 16GB | DS | Samsung | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | |
| SanMax | SMD4-U4G28SE-21P | 4GB | SS | Samsung | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | |
| Crucial | CT16G4DFD8213.C16FH1 | 16GB | DS | Micron | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | • |
| ADATA | AD4U213338G15-B | 8x 8GB | SS | SpecTek | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | • |
| ADATA | AD4U2133W4G15-BP | 8x 4GB | SS | SpecTek | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | • |
| Ramsta | R2DD4N04G2133 | 4GB | SS | Micron | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | • |
| Ramsta | R2DD4N08G2133 | 8GB | SS | Micron | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | • |
| Apacer | AU16GGB13CDYBGC | 16GB | DS | APACER | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | |
| silicon power | SP004GBLFU213N02 | 4GB | SS | SK Hynix | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | • |
| TEKISM | T4U2133B8G15-HYM | 2x 8GB | DS | SK Hynix | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | • |
| TIGO | TMKU4G456-2133P | 4GB | SS | SK Hynix | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | • |
| HYUNDAI | HYE16G21C15 | 16GB | SS | SK Hynix | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | |
| Hyper X | HX421C14FB/4 | 4GB | SS | Micron | 14-14-14-35 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • | • |

| | | | | | | | | | | | |
|----------|---------------------------------|---------|----|----------|-------------|-----|------------------------|------|------|---|---|
| RAMAXEL | RMUA5090KB78HAF2133 | 8GB | SS | Samsung | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 2133 | 2133 | • | • |
| GLOWAY | PC4-19200 | 4GB | DS | GLOWAY | 16-16-16-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| MUSHKIN | 997199F | 2x 8GB | DS | - | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| PNY | MD16GK2D4240015AB | 2x 8GB | DS | - | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| G.SKILL | F4-2400C15D-16GVR | 2x 8GB | DS | - | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| Apacer | AHU08GGB24CDT7G | 8GB | DS | SK Hynix | 16-16-16-36 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| CORSAIR | CM4X8GE2400C14K4-CN (Ver4.24) | 8GB | DS | - | 14-16-16-31 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| CORSAIR | CMK8GX4M1A2400C14(Ver3.20) | 8GB | DS | - | 14-16-16-31 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| PATRIOT | PV416G240C5QK | 4x 4GB | SS | - | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| Hyper X | HX424C15FBK4/16 | 4x 4GB | SS | SK Hynix | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| Hyper X | HX424C12PBK4/32 | 4x 8GB | DS | SK Hynix | 12-13-13-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| GeIL | DDR48GB2400C16QC | 8GB | SS | Micron | 17-16-16-36 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| CORSAIR | CM4X8GE2400C16K4-CN (Ver5.20) | 8GB | DS | SK Hynix | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| LEORICE | DDR4/2400MHZ/CL15/1.2V | 4x 8GB | SS | - | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| CORSAIR | CMD32GX4M4A2400C14 (Ver4.23) | 4x 8GB | DS | - | 14-16-16-31 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| AMD | R748G2400U2S | 8GB | DS | - | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| MICRON | MTA16ATF2G64AZ-2G3B1 | 16GB | DS | Micron | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| MICRON | MTA8ATF1G64AZ-2G3B1 | 8GB | SS | Micron | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| Hyper X | HX424C12SB2K4/16 | 4x 4GB | SS | SK Hynix | 12-14-14-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| Hyper X | HX424C12SB2K4/32 | 4x 8GB | DS | SK Hynix | 12-14-14-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| GALAXY | GAM4BXLBS240016JE164C | 4x 4GB | SS | - | 16-16-16-36 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| Apacer | AH08GGB24CDT5H | 2x 8GB | DS | - | 16-16-16-36 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| CORSAIR | CMK8GX4M2A2400C14(Ver3.28) | 2x 4GB | SS | - | 14-16-16-31 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| CORSAIR | CMK16GX4M2A2400C14 | 2x 8GB | DS | - | 14-16-16-31 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| V-color | 8GTC48G24S817-IMS | 4x 8GB | SS | V-COLOR | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| CORSAIR | CMD32GX4M4A2400C12 (Ver5.20) | 4x 8GB | DS | SK Hynix | 12-14-14-28 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| G.SKILL | F4-2400C15Q-64GIS | 4x 16GB | DS | Micron | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| Crucial | BLS8G4D240FSB.16FARG | 4x 8GB | DS | Micron | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| GeIL | GLW416GB2400C15DC | 8GB | SS | SK Hynix | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| Team | TDTRD48G2400HC15ABK | 8GB | SS | - | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| Team | TDRED48G2400HC14BK | 8GB | DS | SK Hynix | 14-16-16-31 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| GeIL | GRP416GB2400C16DC | 8GB | SS | Micron | 16-16-16-36 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| ADATA | AX4U2400W8G16-BRZ | 8GB | DS | - | 17-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| Hyper X | HX424C15FB/16 | 16GB | DS | Micron | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| Crucial | BLS8G4D240FSC.16FARG | 8GB | DS | Micron | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| CORSAIR | CMK32GX4M2A2400C14(Ver3.31) | 2x 16GB | DS | Micron | 14-16-16-31 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| GALAXY | GAM4HFL1BM2400D15IE08IC | 8GB | DS | - | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| CORSAIR | CMK32GX4M4A2400C16R(Ver3.31) | 4x 8GB | SS | Micron | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| CORSAIR | CMD16GX4M4B2400C10 | 4x 4GB | SS | SK Hynix | 10-12-12-28 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| MUSHKIN | 997199T | 2x 8GB | SS | - | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| GeIL | 8G2133C151.2V | 8GB | DS | SK Hynix | 14-16-16-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| TIGO | TMKU8GF28-2400U | 8GB | DS | - | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| Apacer | AU08GGB24CEYBGC | 8GB | SS | SK Hynix | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| Hyper X | HX424C12SB2K2/16 | 16GB | DS | SK Hynix | 12-14-14-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| GLOWAY | PC4-19200 | 8GB | SS | - | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| ADATA | AX4U240038G16-BWZ | 8x 8GB | SS | SK Hynix | 17-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| ADATA | AX4U2400316G16-SBF | 16GB | DS | SK Hynix | 17-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| AVEXIR | AVD4UZ124001604G-4COR | 4x 4GB | SS | Micron | 16-16-16-36 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| Kingston | TF24D4U7S8MB-8 | 8GB | SS | Micron | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| Kingston | TF24D4U7S1MBD-2 | 2GB | SS | Micron | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| Kingston | TF24D4U7S8MBD-4 | 4GB | SS | Micron | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| RAMAXEL | RMUA5120MB86H9F-2400 | 4GB | SS | Micron | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| RAMAXEL | RMUA5120MB76H8F-2400 | 2GB | SS | Micron | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| V-color | TC48G24S817 | 8GB | SS | SK Hynix | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| G.SKILL | F4-2400C15Q2-64GRK | 8x 8GB | SS | SK Hynix | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| Crucial | BLS16G4D240FSE.16FAD | 16GB | DS | Micron | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |
| Crucial | BLS4G4D240FSA.8FARG | 4GB | SS | Micron | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • |

| | | | | | | | | | | | | |
|----------|------------------------------|---------|----|----------|-------------|-----|------------------------|------|------|---|---|---|
| PATRIOT | PV48G240C5 | 8GB | DS | - | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Team | TFWD416G2400C15BBK | 16GB | DS | TEAM | 15-17-17-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Team | TFRD48G2400C15ABK | 8GB | SS | SK Hynix | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Team | TFRD44G2400C15ABK | 4GB | SS | SK Hynix | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Klevv | IM44GU48N24-FFFHAZ | 4GB | SS | SK Hynix | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Klevv | IM4AGU88N24-FFFHMZ | 16GB | DS | SK Hynix | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Klevv | IM48GU88N24-FFFHMZ | 8GB | SS | SK Hynix | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Klevv | IM4AGU88N24-FFFHMB | 16GB | DS | SK Hynix | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Klevv | IM48GU88N24-FFFHMB | 8GB | SS | SK Hynix | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Klevv | IM44GU48N24-FFFHAB | 4GB | SS | SK Hynix | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| G.SKILL | F4-2400C15D-16GTZR | 8GB | SS | SK Hynix | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Crucial | MTA16ATF1G64AZ-2G3A2 | 8GB | DS | Micron | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| G.SKILL | F4-2400C15Q-64GFX | 4x 16GB | DS | SK Hynix | 15-15-15-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| G.SKILL | F4-2400C15Q-32GFX | 4x 8GB | SS | SK Hynix | 15-15-15-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| G.SKILL | F4-2400C16Q-64GFX | 4x 16GB | DS | SK Hynix | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| G.SKILL | F4-2400C16Q-32GFX | 4x 8GB | SS | SK Hynix | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| CORSAIR | CMK16GX4M2Z2400C16(Ver3.31) | 2x 8GB | SS | Micron | 16-16-16-18 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| CORSAIR | CMK128GX4M8A2400C14(Ver5.30) | 8x 16GB | DS | SK Hynix | 14-16-16-31 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| CORSAIR | CMK128GX4M8A2400C14(Ver5.30) | 8x 16GB | DS | SK Hynix | 14-16-16-31 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| GeIL | GFR416GB2400C16S | 16GB | SS | Micron | 16-16-16-36 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| GeIL | GFR432GB2400C16D | 16GB | SS | Micron | 16-16-16-36 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Hyper X | HX424C15FB2K4/32 | 4x 8GB | SS | SK Hynix | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| GLOWAY | STK4U2400D17081C | 8GB | SS | Micron | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| GLOWAY | STK4U2400D17161C | 16GB | SS | Micron | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| PATRIOT | PSD48G240081 | 8GB | SS | Samsung | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| PATRIOT | PSD44G240081 | 4GB | SS | Samsung | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| PATRIOT | PSD416G24002 | 16GB | DS | Samsung | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| PATRIOT | PV432G240C5QK | 4x 8GB | SS | - | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| PATRIOT | PVE48G240C5KRD | 2x 4GB | SS | - | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| PATRIOT | PVE416G240C5KBL | 2x 8GB | SS | - | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| SAMSUNG | M378A2K43CB1-CRC | 16GB | DS | Samsung | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Crucial | CT8G4DFS824A.C8FBD1 | 8GB | SS | Micron | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| ADATA | AD4X240038G17-BP | 8x 8GB | SS | SpecTek | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Apacer | AHU08GGB24CDU7S | 8GB | SS | - | 16-16-16-36 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Crucial | BLS8G4D240FSC.16FBR2 | 8GB | DS | Micron | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Asgard | VML41UG-MIC1U22ZG | 8GB | SS | Micron | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| KINGMAX | GLLF22F-DAKZIG CLBU | 4GB | SS | - | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| KINGMAX | GLLH22F-18KIIA CFBU2 | 16GB | DS | - | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| KINGMAX | GLLG42F-D8KBIA CFDU | 8GB | DS | KINGMAX | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Kingston | KVR24N17S8/4 | 4GB | SS | Micron | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Crucial | BLS16G4D240FSC.16FBR | 16GB | DS | Micron | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Crucial | BLS8G4D240FSC.8FBD | 8GB | SS | Micron | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Crucial | CT8G4DFD824A.C16FBD2 | 8GB | DS | Micron | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Crucial | CT16G4DFD824A.C16FHD1 | 16GB | DS | Micron | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| ADATA | AX4U240038G16-BRZ | 8x 8GB | SS | SK Hynix | 17-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| G.SKILL | F4-2400C15S-8GNT | 8GB | SS | SK Hynix | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Crucial | CT8G4DFS824A.C8FHD1 | 8GB | SS | Micron | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Apacer | AU08GGB24CEYBGH | 8GB | SS | - | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| GALAXY | GAMER D4-2400 8G C16 紅燈 | 8GB | DS | SK Hynix | 16-16-16-36 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| GALAXY | GAMER D4-2400 8G C16 綠燈 | 8GB | DS | SK Hynix | 16-16-16-36 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| GALAXY | GAMER III DDR4-2400 8G C16 | 8GB | SS | Micron | 16-16-16-36 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Ramsta | R2DD4N04G2400 | 4GB | SS | Micron | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Ramsta | R2DD4N08G2400 | 8GB | DS | Micron | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Hyper X | HX424C15FB/4 | 4GB | SS | Micron | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Crucial | BLS8G4D240FSE.16FBR2 | 8GB | DS | Micron | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Apacer | AHU08GGB24CDU7G | 8GB | SS | Micron | 16-16-16-36 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| GeIL | GASB416GB2400C16QC | 4GB | SS | Micron | 16-16-16-36 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |

| | | | | | | | | | | | | |
|---------------|--------------------------|--------|----|----------|-------------|-----|------------------------|------|------|---|---|---|
| GeLL | GASB432GB2400C16QC | 8GB | SS | Micron | 16-16-16-36 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| TIGO | TMKU8G868-2400U | 8GB | SS | SK Hynix | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| TIGO | TMKG8G868-2400U | 8GB | SS | - | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| Apacer | AU16GGB24CEYBGC | 16GB | DS | APACER | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| GeLL | GLS48GB2400C16DC | 4GB | SS | - | 17-16-16-36 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| GLOWAY | TYP8U2400E17042C | 8GB | SS | Micron | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| Asgard | VML41UG-MEC1U2BQ1 | 8GB | SS | - | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| silicon power | SP008GBLFU240B02 | 8GB | SS | SK Hynix | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| GeLL | GLS48GB2400C16DC | 4GB | SS | Micron | 17-16-16-36 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| TIGO | TMKU4G456-2400U | 4GB | SS | SK Hynix | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| TIGO | TMKUF68-2400U | 16GB | DS | SK Hynix | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| HYUNDAI | HYE4G24C17 | 4GB | SS | SK Hynix | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| HYUNDAI | HYE8G24C17 | 8GB | SS | SK Hynix | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| Apacer | AU16GGB24CEYBGH | 16GB | DS | Micron | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| MAXSUN | MSD44G24Q3 | 4GB | DS | Samsung | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| MAXSUN | MSD48G24Q3 | 8GB | DS | Micron | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| TECLAST | TLD44G24A30 | 4GB | DS | Micron | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| TECLAST | TLD48G24A30 | 8GB | SS | Micron | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| GeLL | DDR48GB2400C17QC | 8GB | SS | Micron | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| Ramsta | R2DD4J16G2400 | 2x 8GB | SS | Micron | 16-16-16-36 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| GeLL | DDR48GB2400C17QC | 8GB | SS | SK Hynix | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| GLOWAY | WAR4U2400D17081C | 8GB | DS | Micron | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| Asgard | VML41UH-MIC1U22T1 | 16GB | SS | Micron | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| Kingston | KVR24N17D8/16-SP | 16GB | DS | Micron | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| Kingston | KVR24N17S6/4 | 4GB | SS | Micron | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| KINGBANK | KB42400Y1803 | 4GB | SS | - | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| KINGBANK | KB42400Y1803 | 8GB | SS | Micron | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| KINGBANK | KB42400Y1803 | 8GB | SS | Samsung | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| GALAXY | GAL4AXR2BSR2400D17KE041C | 4GB | DS | Samsung | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| GALAXY | GAL4AXL1BMR2400D17KE081C | 8GB | SS | Micron | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| GALAXY | GAL4AXT1BMT2400D17KE161C | 16GB | SS | Micron | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| GALAXY | GAM4IRR2BMR2400D16JE081C | 8GB | DS | Micron | 16-16-16-36 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| Asgard | VML41UG-MIC1U22T1 | 8GB | SS | Micron | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| Hyper X | HX424C15FB2/8-SP | 8GB | SS | SK Hynix | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| ADATA | AX4U2400W8G16-BRD | 8GB | DS | SpecTek | 17-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| KingFast | KF2400DSCD4-8GB | 8GB | SS | Micron | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| Vaseky | VK168BCH1642-0C | 8GB | SS | Micron | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| ADATA | AX4U240038G16-BRZ | 8x 8GB | SS | SpecTek | 17-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| CORSAIR | CMK16GX4M2A2400C16 | 2x 8GB | SS | Micron | 17-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| GALAXY | GAM4IRL1BMR2400D16JE081C | 8GB | DS | Micron | 16-16-16-36 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| Team | TCD48G2400C14BK | 8GB | SS | - | 15-16-16-31 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| Team | TED416G2400C16BK | 16GB | DS | Micron | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| BR | BR-PC-8G-2400 | 8GB | SS | - | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| X-STAR | A2MD2018042901 | 8GB | SS | SpecTek | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| OSCOO | DDR4 2400MHz 8G | 8GB | SS | - | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| ADATA | AX4U240038G16-BRZ | 8x 8GB | SS | Nanya | 17-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| KINGBOX | KING DDR4 8GB 1RX8 | 8GB | SS | - | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| Kingston | KVR24N17S8/8 | 8GB | SS | Nanya | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| KingSpec | KS2400D4P150B08G | 8GB | SS | Micron | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| J&A | AD4U24001716-16M | 16GB | DS | S | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| Team | TED44G2400C16BK | 4GB | SS | SK Hynix | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| Team | TED44G2400C1601 | 4GB | SS | SK Hynix | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| Team | TPD44G2400HC1601 | 4GB | SS | SK Hynix | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| Team | TPR44G2400HC1601 | 4GB | SS | SK Hynix | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| Team | TED48G2400C16DC01 | 4GB | SS | SK Hynix | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| Team | TPD48G2400HC16DC01 | 4GB | SS | SK Hynix | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |
| Team | TPRD48G2400HC16DC01 | 4GB | SS | SK Hynix | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | • | • | • |

| | | | | | | | | | | | | |
|---------|----------------------------|---------|----|----------|-------------|-----|------------------------|------|------|---|---|---|
| Team | TED416G2400C16QC01 | 4GB | SS | SK Hynix | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Team | TPD416G2400HC16QC01 | 4GB | SS | SK Hynix | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Team | TPRD416G2400HC16QC01 | 4GB | SS | SK Hynix | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Team | TED48G2400C16BK | 8GB | SS | Micron | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Team | TED48G2400C1601 | 8GB | SS | Micron | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Team | TPD48G2400HC1601 | 8GB | SS | Micron | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Team | TPRD48G2400HC1601 | 8GB | SS | Micron | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Team | TED416G2400C16DC01 | 8GB | SS | Micron | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Team | TPD416G2400HC16DC01 | 8GB | SS | Micron | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Team | TPRD416G2400HC16DC01 | 8GB | SS | Micron | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Team | TED432G2400C16QC01 | 8GB | SS | Micron | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Team | TPD432G2400HC16QC01 | 8GB | SS | Micron | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Team | TPRD432G2400HC16QC01 | 8GB | SS | Micron | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| TECLAST | TLD48G24P70 | 8GB | SS | Micron | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| MAXSUN | MSD416G24Q3 | 16GB | SS | - | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Hyper X | HX424C15FBK4/32 | 4x 8GB | DS | PSC | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Hyper X | HX424C15FBK2/32 | 2x 16GB | DS | NANYA | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| CORSAIR | CMK64GX4M2A2400C16 Ver3.44 | 32GB | DS | Micron | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Hyper X | HX424C15FB/8-SP | 8GB | DS | PSC | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| TIGO | X3 TMKG8G868-2400U | 8GB | SS | SK Hynix | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| TIGO | X3 TMKG8G868-2400U | 8GB | SS | - | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Team | TLGD48G2400HC1401 | 8GB | SS | Micron | 15-16-16-31 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Team | TDRED48G2400HC1401 | 8GB | SS | Micron | 15-16-16-31 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Team | TLRED416G2400HC14DC01 | 8GB | SS | Micron | 15-16-16-31 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Team | TLGD416G2400HC14DC01 | 8GB | SS | Micron | 15-16-16-31 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Team | TDRED416G2400HC14DC01 | 8GB | SS | Micron | 15-16-16-31 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Team | TLRED432G2400HC14QC01 | 8GB | SS | Micron | 15-16-16-31 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Team | TLGD432G2400HC14QC01 | 8GB | SS | Micron | 15-16-16-31 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Team | TDRED432G2400HC14QC01 | 8GB | SS | Micron | 15-16-16-31 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Team | TED416G2400C1601 | 16GB | DS | Micron | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Team | TPD416G2400HC1601 | 16GB | DS | Micron | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Team | TPRD416G2400HC1601 | 16GB | DS | Micron | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Team | TED432G2400C16DC01 | 16GB | DS | Micron | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Team | TPD432G2400HC16DC01 | 16GB | DS | Micron | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| Team | TPRD432G2400HC16DC01 | 16GB | DS | Micron | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| G.SKILL | F4-2400C15S-8GNT | 2x 8GB | DS | - | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| G.SKILL | F4-2400C15D-16GNT | 2x 8GB | DS | - | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| G.SKILL | F4-2400C15Q-32GNT | 2x 8GB | DS | - | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| G.SKILL | F4-2400C15S-8GNS | 2x 8GB | DS | - | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| G.SKILL | F4-2400C15D-16GNS | 2x 8GB | DS | - | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| G.SKILL | F4-2400C15S-8GIS | 2x 8GB | DS | - | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| G.SKILL | F4-2400C15D-16GIS | 2x 8GB | DS | - | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| G.SKILL | F4-2400C15Q-32GIS | 2x 8GB | DS | - | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| G.SKILL | F4-2400C15D-16GRR | 2x 8GB | DS | - | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| G.SKILL | F4-2400C15Q-32GRR | 2x 8GB | DS | - | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| G.SKILL | F4-2400C15Q-32GRB | 2x 8GB | DS | - | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| G.SKILL | F4-2400C15Q-32GRK | 2x 8GB | DS | - | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| G.SKILL | F4-2400C15Q2-64GRK | 2x 8GB | DS | - | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| G.SKILL | F4-2400C15D-16GVS | 2x 8GB | DS | - | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| G.SKILL | F4-2400C15D-16GVB | 2x 8GB | DS | - | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| G.SKILL | F4-2400C15Q-32GVR | 2x 8GB | DS | - | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| G.SKILL | F4-2400C15S-16GIS | 4x 16GB | DS | Micron | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| G.SKILL | F4-2400C15D-32GIS | 4x 16GB | DS | Micron | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| G.SKILL | F4-2400C15Q-64GIS | 4x 16GB | DS | Micron | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| G.SKILL | F4-2400C15D-32GVR | 4x 16GB | DS | Micron | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| G.SKILL | F4-2400C15Q-64GVR | 4x 16GB | DS | Micron | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |
| G.SKILL | F4-2400C15D-32GTZR | 4x 16GB | DS | Micron | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2400 | 2400 | ● | ● | ● |

| | | | | | | | | | | | |
|---------|--------------------------------|---------|----|----------|-------------|------|------------------------|------|------|---|---|
| Hyper X | HX426C13SB2K4/32 | 4x 8GB | DS | SK Hynix | 15-15-15-36 | 1.35 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| Hyper X | HX426C13SB2K4/16 | 4x 4GB | SS | SK Hynix | 15-15-15-36 | 1.35 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| PNY | MD16GK4D4266615AXR | 4x 4GB | SS | - | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| CORSAIR | CMU32GX4M2A2666C16 (Ver5.20) | 2x 16GB | DS | Samsung | 16-18-18-35 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| CORSAIR | CMK32GX4M4A2666C16(Ver3.20) | 4x 8GB | DS | Micron | 16-18-18-35 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| CORSAIR | CMK16GX4M2A2666C16 (Ver3.31) | 2x 8GB | SS | Micron | 16-18-18-35 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| CORSAIR | CMK32GX4M2A2666C16 (Ver5.39) | 2x 16GB | DS | - | 16-18-18-35 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| CORSAIR | CMK16GX4M4A2666C15 (Ver5.20) | 4x 4GB | SS | - | 15-17-17-35 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| CORSAIR | CMK64GX4M4A2666C16 (Ver5.3) | 4x 16GB | DS | SK Hynix | 16-18-18-35 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| G.SKILL | F4-2666C15Q-32GRR | 4x 8GB | SS | SK Hynix | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| AVEXIR | AVD4UZ126661704G-4COR | 4x 4GB | SS | Samsung | 17-17-17-37 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| AVEXIR | AVD4UZ126661708G-4COR | 4x 8GB | SS | SK Hynix | 17-17-17-37 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| CORSAIR | CMK32GX4M4A2666C15 (Ver5.20) | 4x 8GB | DS | SK Hynix | 15-17-17-35 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| Team | TFRD4162666C15BBK | 16GB | DS | Samsung | 15-17-17-35 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| Team | TFWD48G2666C15BBK | 8GB | DS | Samsung | 15-17-17-35 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| Hyper X | HX426C15FBK2/16 | 2x 8GB | DS | Micron | 15-17-17-35 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| Klevv | IM48GU88N26-FFFHMZ | 8GB | SS | SK Hynix | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| Klevv | IM44GU88N26-FFFHMZ | 16GB | DS | SK Hynix | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| Klevv | IM44GU48N26-FFFHAZ | 4GB | SS | SK Hynix | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| CORSAIR | CMK16GX4M2A2666C16(Ver5.30) | 8GB | SS | SK Hynix | 16-18-18-35 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| ADATA | AX4U2666W8G16-QRZ | 4x 8GB | DS | SK Hynix | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| Crucial | BLS8G4D26BFSC.16FBR2 | 8GB | DS | - | 16-18-18-38 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| Crucial | BLS16G4D26BFSC.16FBD | 16GB | DS | Micron | 16-18-18-38 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| Crucial | BLS4G4D26BFSC.8FBR2 | 4GB | SS | - | 16-18-18-38 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| CORSAIR | CMK128GX4M8A2666C16(Ver5.39) | 8x 16GB | DS | SK Hynix | 16-18-18-36 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| CORSAIR | CMR16GX4M2A2666C16(Ver5.30) | 2x 8GB | SS | SK Hynix | 16-18-18-35 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| CORSAIR | CMK128GX4M8A2666C16(Ver5.39) | 8x 16GB | DS | SK Hynix | 16-18-18-35 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| CORSAIR | CMR64GX4M8A2666C16(Ver5.30) | 8x 8GB | SS | - | 16-18-18-35 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| Hyper X | HX426C16FB2K4/64 | 4x 16GB | DS | SK Hynix | 16-18-18-39 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| G.SKILL | F4-2666C16Q2-64GRB | 8x 8GB | SS | SK Hynix | 16-16-16-36 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| Hyper X | HX426C15SBK8/128 | 8x 16GB | DS | - | 15-16-16-35 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| Hyper X | HX426C13PB3/16 | 4x 16GB | DS | SK Hynix | 13-15-15-35 | 1.35 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| Hyper X | HX426C13PB3K2/32 | 4x 16GB | DS | SK Hynix | 13-15-15-35 | 1.35 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| Hyper X | HX424C12PB3K4/64 | 4x 16GB | DS | SK Hynix | 13-15-15-35 | 1.35 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| Hyper X | HX424C12PB3/16 | 4x 16GB | DS | SK Hynix | 13-15-15-35 | 1.35 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| Hyper X | HX424C12PB3K2/32 | 4x 16GB | DS | SK Hynix | 13-15-15-35 | 1.35 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| Crucial | BLS8G4D26BFSC.8FBR | 8GB | SS | Micron | 16-18-18-38 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| Crucial | BLS8G4D26BFSC.8FBD | 8GB | SS | Micron | 16-18-18-38 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| MICRON | MTA16ATF2G64AZ-2G6H1 | 16GB | DS | SK Hynix | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| MICRON | MTA8ATF1G64AZ-2G6H1 | 8GB | SS | SK Hynix | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| ADATA | AD4U266638G19-B | 8x 8GB | SS | - | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| ADATA | AD4U2666316G19-B | 16GB | DS | - | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| PANRAM | W4U2666PS-16G | 2x 16GB | DS | SK Hynix | 16-18-18-35 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| PANRAM | W4U2666PS-8G | 2x 8GB | DS | panram | 16-18-18-35 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| Team | TPD48G2666HC19BK | 8GB | SS | - | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| Team | TED48G2666C1901 | 8GB | SS | - | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| Team | TPRD48G2666HC1901 | 8GB | SS | - | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| Team | TPD48G2666HC1901 | 8GB | SS | - | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| Team | TED416G2666C19DC01 | 8GB | SS | - | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| Team | TPRD416G2666HC19DC01 | 8GB | SS | - | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| Team | TPD416G2666HC19DC01 | 8GB | SS | - | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| Team | TED432G2666C19OC01 | 8GB | SS | - | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| Team | TPRD432G2666HC19OC01 | 8GB | SS | - | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| Team | TPD432G2666HC19OC01 | 8GB | SS | - | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| Team | TPD44G2666HC19BK | 4GB | SS | - | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| Team | TED44G2666C1901 | 4GB | SS | - | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |
| Team | TPRD44G2666HC1901 | 4GB | SS | - | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • |

| | | | | | | | | | | | | |
|----------|----------------------|--------|----|----------|-------------|------|------------------------|------|------|---|---|---|
| Team | TPD44G2666HC1901 | 4GB | SS | - | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Team | TED48G2666C19DC01 | 4GB | SS | - | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Team | TPRD48G2666HC19DC01 | 4GB | SS | - | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Team | TPD48G2666HC19DC01 | 4GB | SS | - | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Team | TED416G2666C19OC01 | 4GB | SS | - | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Team | TPRD416G2666HC19OC01 | 4GB | SS | - | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Team | TPD416G2666HC19OC01 | 4GB | SS | - | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Kingston | KVR26N19S8/8-SP | 8GB | SS | Micron | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| ADATA | AO2P26KCST2-BWFS | 16GB | DS | Nanya | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| ADATA | AX4U266638G16-BRS | 8x 8GB | SS | Nanya | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| ADATA | AX4U266638G16-DRS | 8x 8GB | SS | Nanya | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| ADATA | AX4U266638G16-SRS | 8x 8GB | SS | Nanya | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| ADATA | AX4U266638G16-QRS | 8x 8GB | SS | Nanya | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| ADATA | AX4U266638G16-BR80 | 8x 8GB | SS | Nanya | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| ADATA | AX4U266638G16-DR80 | 8x 8GB | SS | Nanya | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| ADATA | AX4U266638G16-SR80 | 8x 8GB | SS | Nanya | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| ADATA | AX4U266638G16-QR80 | 8x 8GB | SS | Nanya | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| ADATA | AX4U266638G16-BR41 | 8x 8GB | SS | Nanya | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| ADATA | AX4U266638G16-BT41 | 8x 8GB | SS | Nanya | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| ADATA | AX4U266638G16-DR41 | 8x 8GB | SS | Nanya | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| ADATA | AX4U266638G16-DT41 | 8x 8GB | SS | Nanya | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| ADATA | AX4U266638G16-SR41 | 8x 8GB | SS | Nanya | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| ADATA | AX4U266638G16-ST41 | 8x 8GB | SS | Nanya | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| ADATA | AX4U266638G16-QR41 | 8x 8GB | SS | Nanya | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| ADATA | AX4U266638G16-QT41 | 8x 8GB | SS | Nanya | 16-16-16-39 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| G.SKILL | F4-2666C18Q-32GTZRX | 4x 8GB | SS | SpecTek | 18-18-18-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| MICRON | MTA8ATF1G64AZ-2G6E1 | 8GB | SS | Micron | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Asgard | VMA42UG-MEC1U2AW1 | 8GB | SS | Micron | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Micron | MTA16ATF2G64AZ-2G6E1 | 16GB | DS | Micron | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Hyper X | HX426C16FB2/8 | 8GB | SS | SK Hynix | 16-18-18-39 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Apacer | AU16GGB26CQYBGH | 16GB | DS | Samsung | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Apacer | AU08GGB26CQABGH | 8GB | DS | Samsung | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Micron | MTA8ATF1G64AZ-2G6E1 | 8GB | SS | Micron | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Patriot | FVE416G266C6KGY | 2x 8GB | SS | Micron | 16-17-17-36 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| ADATA | AX4U266638G19-BRZ1 | 8x 8GB | SS | SK Hynix | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| ADATA | AX4U266638G16-BRZ | 8x 8GB | SS | SK Hynix | 16-18-18-39 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| ANACONDA | DDR4 2666 16GB | 16GB | DS | - | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| ANACONDA | DDR4 2666 8GB | 8GB | SS | - | 18-18-18-39 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Team | TED48G2666C19BK | 8GB | SS | SpecTek | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Asgard | VMA42UH-MEC1U2AJ2 | 16GB | SS | - | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Hynix | HMA851U6C.JR6N-VK | 4GB | SS | SK Hynix | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Hynix | HMA81GU6C.JR8N-VK | 8GB | SS | SK Hynix | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Crucial | BLS8G4D26BFSC.16FB | 8GB | DS | Micron | 16-18-18-38 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| SK HYNIX | HMA82GU6C.JR8N-VK | 8GB | DS | SK Hynix | 19-19-19-43 | 1.35 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| GeIL | GFR416GB2666C16ADC | 2x 8GB | SS | Micron | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| TIGO | TMKG8G868-2666V | 8GB | SS | SK Hynix | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Apacer | AU08GGB26CQYBGH | 8GB | SS | SK Hynix | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Team | TED44G2666C19BK | 4GB | SS | Micron | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Team | TED44G2666C1901 | 4GB | SS | Micron | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Team | TPD44G2666HC1901 | 4GB | SS | Micron | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Team | TPRD44G2666HC1901 | 4GB | SS | Micron | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Team | TED48G2666C19DC01 | 4GB | SS | Micron | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Team | TPD48G2666HC19DC01 | 4GB | SS | Micron | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Team | TPRD48G2666HC19DC01 | 4GB | SS | Micron | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Team | TED416G2666C19QC01 | 4GB | SS | Micron | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Team | TPD416G2666HC19QC01 | 4GB | SS | Micron | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Team | TPRD416G2666HC19QC01 | 4GB | SS | Micron | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |

| | | | | | | | | | | | | |
|-------------|--------------------------------|---------|----|----------|-------------|------|------------------------|------|------|---|---|---|
| Crucial | CT32G4DFD8266.16FB1 | 32GB | DS | Micron | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| KELVV | IM48GU88N26-GIIHA0 | 8GB | SS | SK Hynix | 16-18-18-38 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| SAMSUNG | M378A2K43CB1-CTD | 16GB | DS | Samsung | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Crucial | CT8G4DFS8266.M8FE | 8GB | SS | Micron | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| KELVV | KD48GU481-26N1600 | 8GB | DS | SK Hynix | 16-18-18-38 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| KELVV | KD44GU481-26N1600 | 4GB | SS | 0 | 16-18-18-38 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| TECLAST | TLD432G26P70 | 32GB | DS | Micron | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| ADATA | AX4U266638G16-DT41 | 8x 8GB | SS | SK Hynix | 16-18-18-38 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| GeIL | GSB416GB2666C19SC 1G08V | 2x 8GB | SS | Micron | 19-19-19-43 | 1.25 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| GeIL | GPB48GB2666C19SC 1G08V | 2x 8GB | SS | Micron | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| GeIL | DDR48GB2666C19DC 1G08V | 2x 8GB | SS | Micron | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| GeIL | GPB432GB2666C19DC 2G08V | 2x 16GB | SS | Micron | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| GeIL | DDR432GB2666C19DC 1G08V | 2x 16GB | DS | Micron | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| GeIL | GWW48GB2666C19SC | 8GB | SS | Micron | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| GeIL | GWW416GB2666C19SC | 16GB | DS | Micron | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Ramsta | R24MAP4GTPA92666 | 4GB | SS | Micron | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Ramsta | R24MAP8GTPA92666 | 8GB | SS | - | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Ramsta | R24MAP16GTPA92666 | 16GB | SS | - | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| CORSAIR | CMV32GX4M1A2666C18 | 32GB | DS | Micron | 18-18-18-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| TIGO | WR TMKG8G868-2666V | 8GB | SS | SK Hynix | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| TIGO | WR TMKU8G68AHFHC-26V | 8GB | SS | SK Hynix | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| TIGO | WR KMKG8G868-2666V | 8GB | SS | SK Hynix | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Kingston | KVR26N19D8/16 | 16GB | DS | SK Hynix | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Kingston | KVR26N19D8/16BK | 16GB | DS | SK Hynix | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Kingston | KVR26N19S8/8 | 8GB | SS | SK Hynix | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Kingston | KVR26N19S8/8BK | 8GB | SS | SK Hynix | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Thermaltake | R002D408GX1-2666C19B Ver 1.1.2 | 2x 8GB | SS | SK Hynix | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| ADATA | AX4U266638G16-DR30 | 8x 8GB | SS | SpecTek | 16-18-18-38 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| GeIL | GAP416GB2666C19DC | 2x 8GB | SS | Nanya | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| SAMSUNG | M378A4G43MB1-CTD | 32GB | DS | Samsung | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Kingston | KVR26N19S6/4 | 4GB | SS | Nanya | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| FORZA | NMUD480E82-2666EA10 | 8GB | SS | Hynix | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| FORZA | NMUD416E82-2666EA10 | 16GB | DS | Hynix | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Team | TED432G2666C19BK | 32GB | DS | SpecTek | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| PANRAM | W4U2666PS-8GC19 | 8GB | SS | Hynix | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| PANRAM | W4U2666PS-16GC19 | 16GB | DS | Hynix | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Hyper X | HX426C16FB3AK4/32 | 8GB | DS | Micron | 16-18-18-39 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Asgard | VMA42UI-MIC1U22T2 | 32GB | DS | Micron | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| GEIL | GSB48GB2666C19SC | 8GB | SS | Micron | 19-19-19-43 | 1.35 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Kingston | TF26D4U9S8MEH-8 | 8GB | SS | Micron | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Kingston | TF26D4U9S1MEH-4 | 4GB | SS | Micron | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| Kingston | TF26D4U9D8MEH-16 | 16GB | DS | Micron | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| ADATA | A02P26KC4U1-BX5S | 4GB | SS | Hynix | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| ADATA | A02P26KC8T1-BX3S | 8GB | SS | Hynix | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| SAMSUNG | M378A5244CB0-CTD | 4GB | SS | Samsung | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| SAMSUNG | M378A1K43CB2-CTD | 8GB | SS | Samsung | 19-19-19-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| G.SKILL | F4-2666C15D-8GRR | 4x 4GB | SS | SK Hynix | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| G.SKILL | F4-2666C15D-8GVR | 4x 4GB | SS | SK Hynix | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| G.SKILL | F4-2666C15Q-16GVR | 4x 4GB | SS | SK Hynix | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| G.SKILL | F4-2666C15D-16GRR | 4x 8GB | SS | SK Hynix | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| G.SKILL | F4-2666C15D-16GVR | 4x 8GB | SS | SK Hynix | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| G.SKILL | F4-2666C15D-16GVS | 4x 8GB | SS | SK Hynix | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| G.SKILL | F4-2666C15D-16GVB | 4x 8GB | SS | SK Hynix | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| G.SKILL | F4-2666C15Q-32GVR | 4x 8GB | SS | SK Hynix | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| G.SKILL | F4-2666C15D-16GRR | 4x 8GB | SS | SK Hynix | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| G.SKILL | F4-2666C15Q-32GRR | 4x 8GB | SS | SK Hynix | 15-15-15-35 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |
| G.SKILL | F4-2666C16Q-32GRB | 8x 8GB | SS | SK Hynix | 16-16-16-36 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | • | • | • |

| | | | | | | | | | | | | |
|---------|--------------------------------|---------|----|----------|-------------|------|------------------------|------|------|---|---|---|
| G.SKILL | F4-2666C18D-16GTZN | 4x 8GB | SS | SpecTek | 18-18-18-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | ● | ● | ● |
| G.SKILL | F4-2666C18Q-32GTZN | 4x 8GB | SS | SpecTek | 18-18-18-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | ● | ● | ● |
| G.SKILL | F4-2666C18D-16GTZR | 4x 8GB | SS | SpecTek | 18-18-18-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | ● | ● | ● |
| G.SKILL | F4-2666C18Q-32GTZR | 4x 8GB | SS | SpecTek | 18-18-18-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | ● | ● | ● |
| G.SKILL | F4-2666C18S-8GRS | 4x 8GB | SS | SpecTek | 18-18-18-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | ● | ● | ● |
| G.SKILL | F4-2666C18D-16GRS | 4x 8GB | SS | SpecTek | 18-18-18-43 | 1.2 | Ryzen™ 4000-Series APU | 2666 | 2666 | ● | ● | ● |
| Hyper X | HX428C14PBK4/32 | 4x 8GB | DS | SK Hynix | 15-15-15-36 | 1.35 | Ryzen™ 4000-Series APU | 2800 | 2800 | ● | ● | ● |
| CORSAIR | CMK32GX4M4A2800C16 | 4x 8GB | DS | - | 16-18-18-36 | 1.2 | Ryzen™ 4000-Series APU | 2800 | 2800 | ● | ● | ● |
| Hyper X | HX428C14SB2K4/32 | 4x 8GB | DS | - | 15-15-15-36 | 1.35 | Ryzen™ 4000-Series APU | 2800 | 2800 | ● | ● | ● |
| PATRIOT | PV416G280C6QK | 4x 4GB | SS | - | 16-18-18-36 | 1.2 | Ryzen™ 4000-Series APU | 2800 | 2800 | ● | ● | ● |
| G.SKILL | F4-2800C16D-16GRR | 2x 8GB | SS | SK Hynix | 16-16-16-36 | 1.2 | Ryzen™ 4000-Series APU | 2800 | 2800 | ● | ● | ● |
| ADATA | AX4U280038G17-SBF | 8x 8GB | SS | SK Hynix | 18-17-17-36 | 1.2 | Ryzen™ 4000-Series APU | 2800 | 2800 | ● | ● | ● |
| ADATA | AX4U2800316G16-SBF | 16GB | DS | SK Hynix | 17-16-16-36 | 1.2 | Ryzen™ 4000-Series APU | 2800 | 2800 | ● | ● | ● |
| G.SKILL | F4-2800C16Q-32GVR | 4x 8GB | SS | SK Hynix | 16-16-16-36 | 1.2 | Ryzen™ 4000-Series APU | 2800 | 2800 | ● | ● | ● |
| AVEXIR | AVD4UZ128001508G-4BZ1RR | 4x 8GB | DS | Samsung | 15-15-15-35 | 1.35 | Ryzen™ 4000-Series APU | 2800 | 2800 | ● | ● | ● |
| CORSAIR | CMD16GX4M4A2800C16(Ver3.21) | 4x 4GB | SS | Micron | 16-18-18-36 | 1.2 | Ryzen™ 4000-Series APU | 2800 | 2800 | ● | ● | ● |
| CORSAIR | CMK64GX4M8B2800C14 (Ver4.24) | 8x 8GB | DS | Samsung | 14-16-16-36 | 1.35 | Ryzen™ 4000-Series APU | 2800 | 2800 | ● | ● | ● |
| Team | TFWD416G2800C16CBK | 16GB | DS | TEAM | 16-18-18-38 | 1.2 | Ryzen™ 4000-Series APU | 2800 | 2800 | ● | ● | ● |
| Team | TFRD48G2800C16CBK | 8GB | DS | Samsung | 16-18-18-38 | 1.2 | Ryzen™ 4000-Series APU | 2800 | 2800 | ● | ● | ● |
| FORZA | NFMUD416E8-2800EH2A | 16GB | DS | SK Hynix | 17-17-17-36 | 1.2 | Ryzen™ 4000-Series APU | 2800 | 2800 | ● | ● | ● |
| ADATA | AX4U2800W8G17-BRD | 8GB | DS | - | 17-17-17-36 | 1.2 | Ryzen™ 4000-Series APU | 2800 | 2800 | ● | ● | ● |
| G.SKILL | F4-2800C15Q-32GVR | 4x 8GB | SS | SK Hynix | 15-15-15-35 | 1.25 | Ryzen™ 4000-Series APU | 2800 | 2800 | ● | ● | ● |
| KINGMAX | GLMG42F-18KIIA CJBR4 | 8GB | SS | KINGMAX | 17-17-17-39 | 1.2 | Ryzen™ 4000-Series APU | 2800 | 2800 | ● | ● | ● |
| CORSAIR | CMD32GX4M2B3000C15(Ver4.31) | 2x 16GB | DS | - | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | ● | ● | ● |
| PANRAM | PUD4300C154G4NJW | 4x 4GB | SS | - | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | ● | ● | ● |
| AVEXIR | AVD4UZ130001604G-4COB | 4x 4GB | SS | - | 15-15-15-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | ● | ● | ● |
| AVEXIR | AVD4UZ130001608G-4COB | 4x 8GB | DS | - | 15-15-15-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | ● | ● | ● |
| Hyper X | HX430C15SBK2/16 | 2x 8GB | DS | - | 15-15-15-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | ● | ● | ● |
| KLEVV | IM44GU48A30-GIIHMC | 4x 4GB | SS | SK Hynix | 17-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | ● | ● | ● |
| CORSAIR | CMK16GX4M2B3000C15 (Ver4.24) | 2x 8GB | DS | SK Hynix | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | ● | ● | ● |
| Hyper X | HX430C15SB2K4/16 | 4x 4GB | SS | SK Hynix | 15-15-15-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | ● | ● | ● |
| Team | TDGED48G3000HC16ABK | 2x 8GB | DS | SK Hynix | 16-16-16-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | ● | ● | ● |
| PATRIOT | PV416G300C6QK | 4x 4GB | SS | - | 16-16-16-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | ● | ● | ● |
| G.SKILL | F4-3000C15D-32GVR | 2x 16GB | DS | Samsung | 15-15-15-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | ● | ● | ● |
| CORSAIR | CMK64GX4M4B3000C15 (Ver4.31) | 4x 16GB | DS | Samsung | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | ● | ● | ● |
| ADATA | AX4U300038G16-DBZ | 8x 8GB | DS | SK Hynix | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | ● | ● | ● |
| ADATA | AX4U3000316G16-BGZ | 16GB | DS | - | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | ● | ● | ● |
| CORSAIR | CMD16GX4M4B3000C15(Ver4.24) | 4GB | SS | Samsung | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | ● | ● | ● |
| CORSAIR | CMK32GX4M2B3000C15(Ver5.39) | 16GB | DS | SK Hynix | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | ● | ● | ● |
| CORSAIR | CMU16GX4M2C3000C15 (Ver4.31) | 8GB | SS | Samsung | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | ● | ● | ● |
| CORSAIR | CMK16GX4M4B3000C15(Ver3.21) | 4GB | SS | Micron | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | ● | ● | ● |
| G.SKILL | F4-3000C15Q-32GRK | 4x 8GB | DS | Samsung | 15-15-15-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | ● | ● | ● |
| CORSAIR | CMK8GX4M2B3000C15(Ver3.21) | 2x 4GB | SS | Micron | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | ● | ● | ● |
| CORSAIR | CMU32GX4M4C3000C15 (Ver5.3) | 4x 8GB | DS | SK Hynix | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | ● | ● | ● |
| GeIL | GFR416GB3000C15ADC | 8GB | SS | SK Hynix | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | ● | ● | ● |
| Team | TFWD416G3000C16CBK | 16GB | DS | SK Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | ● | ● | ● |
| Team | TCD44G3000C16CBK | 4GB | SS | SK Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | ● | ● | ● |
| Klevv | IM4AGU88A30-FGGHMZ | 16GB | DS | SK Hynix | 16-16-16-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | ● | ● | ● |
| Klevv | IM48GU88A30-FGGHMZ | 8GB | SS | SK Hynix | 16-16-16-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | ● | ● | ● |
| Klevv | IM44GU48A30-FGGHAZ | 4GB | SS | SK Hynix | 16-16-16-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | ● | ● | ● |
| Klevv | IM48GU88A30-FGGHMB | 8GB | SS | SK Hynix | 16-16-16-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | ● | ● | ● |
| Klevv | IM44GU48A30-FGGHAB | 4GB | SS | SK Hynix | 16-16-16-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | ● | ● | ● |
| Klevv | IM4AGU88A30-FGGHMB | 16GB | DS | SK Hynix | 16-16-16-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | ● | ● | ● |
| CORSAIR | CMD16GX4M2B3000C15(Ver5.30) | 2x 8GB | SS | SK Hynix | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | ● | ● | ● |
| CORSAIR | CMD32GX4M4C3000C15(Ver5.30) | 4x 8GB | SS | - | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | ● | ● | ● |
| FORZA | NFMUD416E8-3000DH2A | 16GB | DS | SK Hynix | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | ● | ● | ● |
| FORZA | NFMUD480E8-3000DH2A | 8GB | SS | SK Hynix | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | ● | ● | ● |

| | | | | | | | | | | | |
|---------|---------------------------------|---------|----|----------|-------------|------|------------------------|------|------|---|---|
| CORSAIR | CMR16GX4M2C3000C15(Ver4.31) | 2x 8GB | SS | SK Hynix | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| CORSAIR | CMR32GX4M4C3000C15 | 4x 8GB | DS | SK Hynix | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| Team | TDRRD48G3000HC16CBK | 8GB | DS | Samsung | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| Team | TDRGD48G3000HC16CBK | 8GB | DS | Samsung | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| GALAXY | HOF DDR4-3000 | 2x 8GB | SS | SK Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| GeIL | GLR416GB3000C15ADC | 8GB | SS | SK Hynix | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| G.SKILL | F4-3000C15S-16GVR | 16GB | DS | SK Hynix | 15-15-15-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| FORZA | NMUD416E82-3000DB30 | 16GB | DS | SK Hynix | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| FORZA | NMUD480E82-3000DB30 | 8GB | SS | SK Hynix | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| PATRIOT | PV432G300C6QK | 4x 8GB | SS | - | 16-16-16-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| Hyper X | HX430C15PB3K4/32 | 4x 8GB | SS | SK Hynix | 15-17-17-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| Crucial | BLT8G4D30AETA.K16FE | 8GB | DS | Samsung | 15-16-16-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| PATRIOT | PVE416G300C6KBL | 2x 8GB | SS | - | 16-16-16-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| PATRIOT | PVE48G300C6KRD | 2x 4GB | SS | - | 16-16-16-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| G.SKILL | F4-3000C14Q2-128GVKD | 8x 16GB | DS | Samsung | 14-14-14-34 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| Team | TF3D48G3000HC16CBK | 8GB | SS | SK Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| GALAXY | N/A | 2x 8GB | SS | SK Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| TIGO | TMKU8GF58-3000X | 8GB | DS | Samsung | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| CORSAIR | CMK16GX4M2B3000C15R (Ver5.30) | 2x 8GB | SS | SK Hynix | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| CORSAIR | CMK16GX4M2B3000C15R (Ver3.32) | 2x 8GB | SS | - | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| CORSAIR | CM4X8GD3000C15U4-CN(Ver.5.39) | 8GB | SS | SK Hynix | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| ADATA | AX4U300038G16-BBG | 8x 8GB | SS | SK Hynix | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| Hyper X | HX430C15PB3/8 | 8GB | SS | - | 15-17-17-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| Hyper X | HX430C15PB3K2/16 | 2x 8GB | SS | - | 15-17-17-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| CORSAIR | CMK16GX4M2B3000C15 (Ver5.39) | 2x 8GB | SS | - | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| G.SKILL | F4-3000C16D-16GTZR | 2x 8GB | SS | - | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| Apacer | ZD4-MO23000C16-08GAG | 8GB | SS | Samsung | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| Crucial | BLT8G4D30BET4K.C8FD | 8GB | SS | Micron | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| Hyper X | HX430C15PB3/16-SP | 16GB | DS | SK Hynix | 15-17-17-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| ADATA | AX4U300038G16-BRS | 8x 8GB | SS | Nanya | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| ADATA | AX4U300038G16-DRS | 8x 8GB | SS | Nanya | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| ADATA | AX4U300038G16-SRS | 8x 8GB | SS | Nanya | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| ADATA | AX4U300038G16-QRS | 8x 8GB | SS | Nanya | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| ADATA | AX4U300038G16-BR80 | 8x 8GB | SS | Nanya | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| ADATA | AX4U300038G16-DR80 | 8x 8GB | SS | Nanya | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| ADATA | AX4U300038G16-SR80 | 8x 8GB | SS | Nanya | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| ADATA | AX4U300038G16-QR80 | 8x 8GB | SS | Nanya | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| ADATA | AX4U300038G16-BR41 | 8x 8GB | SS | Nanya | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| ADATA | AX4U300038G16-BT41 | 8x 8GB | SS | Nanya | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| ADATA | AX4U300038G16-DT41 | 8x 8GB | SS | Nanya | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| ADATA | AX4U300038G16-DR41 | 8x 8GB | SS | Nanya | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| ADATA | AX4U300038G16-SR41 | 8x 8GB | SS | Nanya | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| ADATA | AX4U300038G16-ST41 | 8x 8GB | SS | Nanya | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| ADATA | AX4U300038G16-QR41 | 8x 8GB | SS | Nanya | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| ADATA | AX4U300038G16-QT41 | 8x 8GB | SS | Nanya | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| V-color | TL48G30S8SRGB15 | 8GB | SS | SK Hynix | 15-16-16-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| CORSAIR | CMK64GX4M4C3000C15(Ver5.32) | 4x 16GB | DS | SK Hynix | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| HYUNDAI | HYE8G30C16XY | 8GB | SS | Samsung | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| Antec | AMD4UZ1240001508G-3S | 8GB | SS | Samsung | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| INNO3D | RCX2-16G3000A | 2x 8GB | SS | Micron | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| Antec | AMD4UZ130001608G-5S | 8GB | SS | - | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| GLOWAY | TYP4U3000E16082C | 8GB | SS | Samsung | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| CORSAIR | CMW16GX4M2C3000C15 (Ver5.39) | 2x 8GB | SS | SK Hynix | 16-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| OCPC | MMX3A16GD430C16 | 2x 8GB | SS | Micron | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| Crucial | BLT8G4D30BET4K | 8GB | SS | Micron | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| TECLAST | TLD48G30P70 | 8GB | SS | SK Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |
| MAXSUN | MSD48G30Q3 | 8GB | SS | Nanya | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • |

| | | | | | | | | | | | | |
|---------|---------------------------------|---------|----|----------|-------------|------|------------------------|------|------|---|---|---|
| Hyper X | HX430C15PB3AK4/32 | 4x 8GB | SS | SK Hynix | 15-17-17-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| Hyper X | HX430C15PB3AK4/64 | 4x 16GB | DS | SK Hynix | 15-17-17-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| Corsair | CMT32GX4M4C3000C15(Ver5.32) | 4x 8GB | SS | SK Hynix | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| PATRIOT | PV48G300C6K | 2x 4GB | SS | SpecTek | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| GeIL | GLWS416GB3000C16DC 1G08V | 2x 8GB | SS | Micron | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| GeIL | GLS432GB3000C16DC | 2x 16GB | DS | Micron | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| CORSAIR | CMK64GX4M2D3000C16 Ver3.40 | 32GB | DS | Micron | 16-20-20-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| G.SKILL | F4-3000C15D-16GRK | 2x 8GB | SS | SK Hynix | 15-15-15-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| G.SKILL | F4-3000C16D-16GISB | 2x 8GB | SS | Samsung | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| G.SKILL | F4-3000C16D-16GSXWB | 2x 8GB | SS | Samsung | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| G.SKILL | F4-3000C16Q-32GSXFB | 4x 8GB | SS | Samsung | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| G.SKILL | F4-3000C16S-8GISB | 8GB | SS | Samsung | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| G.SKILL | F4-3000C16D-16GVRB | 2x 8GB | SS | Samsung | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| G.SKILL | F4-3000C16D-16GSXKB | 2x 8GB | SS | Samsung | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| G.SKILL | F4-3000C16D-16GSXFB | 2x 8GB | SS | Samsung | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| G.SKILL | F4-3000C16Q-32GSXWB | 4x 8GB | SS | Samsung | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| G.SKILL | F4-3000C16Q-32GSXKB | 4x 8GB | SS | Samsung | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| G.SKILL | F4-3000C16Q-32GTRS | 4x 8GB | SS | Samsung | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| G.SKILL | F4-3000C16D-16GTZN | 2x 8GB | SS | Samsung | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| G.SKILL | F4-3000C16Q-32GTZN | 4x 8GB | SS | Samsung | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| G.SKILL | F4-3000C16D-16GTRS | 2x 8GB | SS | Samsung | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| G.SKILL | F4-3000C16D-16GTRG | 2x 8GB | SS | Samsung | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| G.SKILL | F4-3000C16Q-32GTRG | 4x 8GB | SS | Samsung | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| G.SKILL | F4-3000C15D-16GVR | 2x 8GB | DS | Samsung | 15-15-15-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| G.SKILL | F4-3000C15D-16GVS | 2x 8GB | DS | Samsung | 15-15-15-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| G.SKILL | F4-3000C15Q-32GVR | 4x 8GB | DS | Samsung | 15-15-15-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| G.SKILL | F4-3000C15Q2-64GVR | 8x 8GB | DS | Samsung | 15-15-15-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| G.SKILL | F4-3000C16Q-32GTZR | 4x 8GB | SS | - | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| G.SKILL | F4-3000C15Q-64GVR | 4x 16GB | DS | Samsung | 15-15-15-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| G.SKILL | F4-3000C15D-32GTZ | 2x 16GB | DS | Samsung | 15-15-15-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| G.SKILL | F4-3000C14Q2-128GVRD | 8x 16GB | DS | Samsung | 14-14-14-34 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| G.SKILL | F4-3000C14D-32GTZ | 2x 16GB | DS | Samsung | 14-14-14-34 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| G.SKILL | F4-3000C14Q-64GTZ | 4x 16GB | DS | Samsung | 14-14-14-34 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| G.SKILL | F4-3000C14D-32GVR | 2x 16GB | DS | Samsung | 14-14-14-34 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| G.SKILL | F4-3000C14D-32GVK | 2x 16GB | DS | Samsung | 14-14-14-34 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| G.SKILL | F4-3000C14Q-64GVR | 4x 16GB | DS | Samsung | 14-14-14-34 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| G.SKILL | F4-3000C14Q-64GVK | 4x 16GB | DS | Samsung | 14-14-14-34 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| Team | TLRED48G3000HC16CDC01 | 4GB | SS | SK Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| Team | TLGD48G3000HC16CDC01 | 4GB | SS | SK Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| Team | TDRED48G3000HC16CDC01 | 4GB | SS | SK Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| Team | TDGED48G3000HC16CDC01 | 4GB | SS | SK Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| Team | TLRED416G3000HC16CQC01 | 4GB | SS | SK Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| Team | TLGD416G3000HC16CQC01 | 4GB | SS | SK Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| Team | TDRED416G3000HC16CQC01 | 4GB | SS | SK Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| Team | TDGED416G3000HC16CQC01 | 4GB | SS | SK Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| Team | TLZGD44G3000HC16C01 | 4GB | SS | SK Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| Team | TLZRD44G3000HC16C01 | 4GB | SS | SK Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| Team | TLZGD48G3000HC16CDC01 | 4GB | SS | SK Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| Team | TLZRD48G3000HC16CDC01 | 4GB | SS | SK Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| Team | TF0D48G3000C16CBK | 8GB | SS | SK Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| Team | TF4D416G3000HC16CDC01 | 8GB | SS | SK Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| Team | TF1D416G3000HC16CDC01 | 8GB | SS | SK Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| Team | TF2D416G3000HC16CDC01 | 8GB | SS | SK Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| CORSAIR | CMK16GX4M2B3000C15R (Ver4.24) | 2x 8GB | DS | SK Hynix | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| CORSAIR | CMK16GX4M2B3000C15W (Ver4.24) | 2x 8GB | DS | SK Hynix | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| CORSAIR | CMK16GX4M2B3000C15B (Ver4.24) | 2x 8GB | DS | SK Hynix | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| CORSAIR | CMK32GX4M2B3000C15(Ver5.39) | 16GB | DS | SK Hynix | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |

| | | | | | | | | | | | | |
|---------|---------------------------------|---------|----|----------|-------------|------|------------------------|------|------|---|---|---|
| CORSAIR | CMK32GX4M2B3000C15(Ver5.39) | 16GB | DS | SK Hynix | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| CORSAIR | CMU16GX4M2C3000C15B(Ver4.31) | 8GB | SS | Samsung | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | |
| CORSAIR | CMU16GX4M2C3000C15R(Ver4.31) | 8GB | SS | Samsung | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | |
| CORSAIR | CMK16GX4M4B3000C15B(Ver3.21) | 4GB | SS | Micron | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| CORSAIR | CMK16GX4M4B3000C15R(Ver3.21) | 4GB | SS | Micron | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| CORSAIR | CMK8GX4M2B3000C15R(Ver3.21) | 2x 4GB | SS | Micron | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| CORSAIR | CMU32GX4M4C3000C15B (Ver5.3) | 4x 8GB | DS | SK Hynix | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| CORSAIR | CMU32GX4M4C3000C15R (Ver5.3) | 4x 8GB | DS | SK Hynix | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| CORSAIR | CMR16GX4M2C3000C15W(Ver4.31) | 2x 8GB | SS | SK Hynix | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | |
| CORSAIR | CMR32GX4M4C3000C15W | 4x 8GB | DS | SK Hynix | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | |
| CORSAIR | CMK16GX4M2B3000C15B (Ver5.30) | 2x 8GB | SS | SK Hynix | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | |
| CORSAIR | CMK16GX4M2B3000C15W (Ver5.30) | 2x 8GB | SS | SK Hynix | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | |
| CORSAIR | CMK16GX4M2B3000C15 (Ver5.30) | 2x 8GB | SS | SK Hynix | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | |
| CORSAIR | CMK16GX4M2B3000C15B (Ver3.32) | 2x 8GB | SS | - | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | |
| CORSAIR | CMK16GX4M2B3000C15W (Ver3.32) | 2x 8GB | SS | - | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | |
| CORSAIR | CMK16GX4M2B3000C15 (Ver3.32) | 2x 8GB | SS | - | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | |
| CORSAIR | CMK16GX4M2B3000C15W (Ver5.39) | 2x 8GB | SS | - | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | |
| CORSAIR | CMK16GX4M2B3000C15B (Ver5.39) | 2x 8GB | SS | - | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | |
| CORSAIR | CMK16GX4M2B3000C15R (Ver5.39) | 2x 8GB | SS | - | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | |
| CORSAIR | CMW16GX4M2C3000C15W (Ver5.39) | 2x 8GB | SS | SK Hynix | 16-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| CORSAIR | CMK64GX4M2C3000C15 (Ver5.49) | 2x 32GB | DS | SK Hynix | 15-17-17-35 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| GALAXY | GAM4NIL4BNT3000G16LD081C | 8GB | SS | Micron | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| GALAXY | GAM4IRL4BNT3000G16LD081C | 8GB | SS | Micron | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| CORSAIR | CM4X8GD3000C16K4D-CN ver4.32 | 8GB | SS | Samsung | 16-20-20-38 | 1.35 | Ryzen™ 4000-Series APU | 3000 | 3000 | • | • | • |
| MUSHKIN | 997202F | 2x 4GB | SS | - | 15-15-15-36 | 1.2 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| Apacer | 78.BAGMD.AF20B | 2x 4GB | SS | SK Hynix | 16-16-16-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| PATRIOT | PV48G320C6K | 2x 4GB | SS | - | 16-16-16-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| Hyper X | HX432C16PB3K4/32 | 4x 8GB | SS | SK Hynix | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| ADATA | AX4U3200W8G16-BGZ | 8GB | DS | Samsung | 16-16-16-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | |
| Team | TFWD416G3200C16CBK | 16GB | DS | Samsung | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | |
| Team | TFWD48G3200C16CBK | 8GB | DS | Samsung | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | |
| G.SKILL | F4-3200C16D-16GTZR | 2x 8GB | SS | - | 18-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | |
| CORSAIR | CMD16GX4M2B3200C16(Ver3.21) | 16GB | DS | Samsung | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | |
| G.SKILL | F4-3200C14Q-32GFX | 4x 8GB | SS | Samsung | 14-14-14-34 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| CORSAIR | CMK64GX4M8B3200C16(Ver4.31) | 8x 8GB | SS | Samsung | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| Team | TF1D48G3200HC16CBK | 8GB | SS | SK Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | |
| Team | TF2D48G3200HC16CBK | 8GB | SS | SK Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | |
| CORSAIR | CMK16GX4M2B3200C16(Ver4.24) | 2x 8GB | DS | Samsung | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | |
| G.SKILL | F4-3200C16D-16GTZ | 2x 8GB | DS | - | 16-16-16-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | |
| CORSAIR | CMU16GX4M2C3200C16(Ver5.39) | 2x 8GB | SS | SK Hynix | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | |
| G.SKILL | F4-3200C16S-8GRKB | 8GB | SS | - | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | |
| CORSAIR | CMU32GX4M2C3200C16(Ver5.39) | 2x 16GB | DS | SK Hynix | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | |
| Hyper X | HX432C16PB3K2/16 | 2x 8GB | SS | SK Hynix | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| TIGO | TMKG8G3200C16.RGB | 8GB | SS | - | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| Ramsta | R2DD4J16G3200 | 2x 8GB | SS | Samsung | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | |
| Ramsta | R2DD4J32G3200 | 2x 16GB | DS | Samsung | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | |
| KINGMAX | GZOG43F-18SIGP | 8GB | SS | - | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| ADATA | AX4U320038G16-BRS | 8x 8GB | SS | Nanya | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | |
| ADATA | AX4U320038G16-DRS | 8x 8GB | SS | Nanya | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | |
| ADATA | AX4U320038G16-SRS | 8x 8GB | SS | Nanya | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | |
| ADATA | AX4U320038G16-QRS | 8x 8GB | SS | Nanya | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | |
| ADATA | AX4U320038G16-BR80 | 8x 8GB | SS | Nanya | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | |
| ADATA | AX4U320038G16-DR80 | 8x 8GB | SS | Nanya | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | |
| ADATA | AX4U320038G16-SR80 | 8x 8GB | SS | Nanya | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | |
| ADATA | AX4U320038G16-QR80 | 8x 8GB | SS | Nanya | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | |
| ADATA | AX4U320038G16-BR41 | 8x 8GB | SS | Nanya | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | |
| ADATA | AX4U320038G16-BT41 | 8x 8GB | SS | Nanya | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | |

| | | | | | | | | | | | |
|---------------|------------------------------|---------|----|----------|-------------|------|------------------------|------|------|---|---|
| ADATA | AX4U320038G16-DR41 | 8x 8GB | SS | Nanya | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| ADATA | AX4U320038G16-DT41 | 8x 8GB | SS | Nanya | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| ADATA | AX4U320038G16-SR41 | 8x 8GB | SS | Nanya | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| ADATA | AX4U320038G16-ST41 | 8x 8GB | SS | Nanya | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| ADATA | AX4U320038G16-QR41 | 8x 8GB | SS | Nanya | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| ADATA | AX4U320038G16-QT41 | 8x 8GB | SS | Nanya | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| V-color | TL48G32S8CRGB16 | 8GB | SS | Samsung | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| G.SKILL | F4-3200C16D-8GVKB | 2x 4GB | SS | SK Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| Hyper X | HX432C18FB/16 | 16GB | DS | Micron | 18-21-21-39 | 1.2 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| Team | TDPRD48G3200HC14ABK | 8GB | SS | Samsung | 14-14-14-31 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| Patriot | PVLW416G320C6K | 2x 8GB | SS | Samsung | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| G.SKILL | F4-3200C14D-16GTZR | 2x 8GB | SS | - | 14-14-14-34 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| silicon power | SP008GXLZU320BSB | 8GB | SS | Samsung | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| Asgard | VMA45UG-MEC1U2BQ2 | 8GB | SS | Samsung | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| AORUS | GP-AR32C16S8K2SU416R | 2x 8GB | SS | Samsung | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| Crucial | BLS8G4D32AESBK.8FE | 8GB | SS | Micron | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| Klevv | IM48GU48A32-GIISMZ | 2x 8GB | DS | Samsung | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| Thermaltake | OD48G32S816-THC | 8GB | SS | SK Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| GelL | GLWS416GB3200C16ADC | 8GB | SS | Samsung | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| Colorful | iGame DDR4 3200 8GB | 8GB | SS | Samsung | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| G.SKILL | F4-3200C16D-16GTRS | 2x 8GB | SS | SK Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| TIGO | TMKG8G3200C16 | 8GB | SS | Samsung | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| Crucial | BLS16G4D32AESB.M16FE | 16GB | DS | Micron | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| SP | SP016GXLZU320BSB | 16GB | DS | Samsung | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| GelL | GLS432GB3200C16ADC | 16GB | DS | SK Hynix | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| OLOY | MD4U083216BADA | 2x 8GB | SS | SK Hynix | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| G.SKILL | F4-3200C16D-32GTZA | 2x 16GB | DS | Samsung | 16-16-16-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| CORSAIR | CMW32GX4M2Z3200C16(Ver3.31) | 2x 16GB | DS | Micron | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| KELVV | KD48GU880-32A160T | 8GB | SS | SK Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| Hyper X | HX432C16PB3AK4/64 | 4x 16GB | DS | SK Hynix | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| OLOY | MD4U083216BCSB-A | 8GB | SS | Micron | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| Corsair | CMK32GX4M2Z3200C16(Ver3.31) | 2x 16GB | DS | Micron | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| CORSAIR | CMK16GX4M2Z3200C16(Ver4.31) | 2x 8GB | SS | Samsung | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| G.SKILL | F4-3200C14Q-32GTZR | 4x 8GB | SS | Samsung | 14-14-14-34 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| G.SKILL | F4-3200C14D-16GFX | 2x 8GB | SS | Samsung | 14-14-14-34 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| GLOWAY | ABY4U3200E16082C | 2x 8GB | SS | Nanya | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| Asgard | VMA45UG-MEC1U2AW2 | 2x 8GB | SS | Nanya | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| GLOWAY | ABY4U3200E16161C | 16GB | DS | Nanya | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| Asgard | VMA44UH-MEC1U2AW2 | 16GB | DS | Nanya | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| PATRIOT | PVR416G320C6KW | 2x 8GB | SS | SK Hynix | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| PATRIOT | PV416G320C6K | 2x 8GB | SS | SK Hynix | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| GelL | GEXW416GB3200C16DC | 2x 8GB | SS | Micron | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| G.SKILL | F4-3200C14D-16GTZR | 2x 8GB | SS | Samsung | 14-14-14-34 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| G.SKILL | F4-3200C14Q2-64GTZR | 8x 8GB | SS | Samsung | 14-14-14-34 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| G.SKILL | F4-3200C14D-16GVR | 2x 8GB | SS | Samsung | 14-14-14-34 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| G.SKILL | F4-3200C14D-16GVK | 2x 8GB | SS | Samsung | 14-14-14-34 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| G.SKILL | F4-3200C14Q-32GVR | 4x 8GB | SS | Samsung | 14-14-14-34 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| G.SKILL | F4-3200C14Q-32GVK | 4x 8GB | SS | Samsung | 14-14-14-34 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| G.SKILL | F4-3200C14Q2-64GVK | 8x 8GB | SS | Samsung | 14-14-14-34 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| G.SKILL | F4-3200C14D-16GTZ | 2x 8GB | SS | Samsung | 14-14-14-34 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| G.SKILL | F4-3200C14D-16GTZKW | 2x 8GB | SS | Samsung | 14-14-14-34 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| G.SKILL | F4-3200C14D-16GTZSW | 2x 8GB | SS | Samsung | 14-14-14-34 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| G.SKILL | F4-3200C14D-16GTZSK | 2x 8GB | SS | Samsung | 14-14-14-34 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| G.SKILL | F4-3200C14Q-32GTZ | 4x 8GB | SS | Samsung | 14-14-14-34 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| G.SKILL | F4-3200C14Q-32GTZSW | 4x 8GB | SS | Samsung | 14-14-14-34 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| G.SKILL | F4-3200C14Q2-64GTZ | 8x 8GB | SS | Samsung | 14-14-14-34 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |
| G.SKILL | F4-3200C14Q2-64GTZSW | 8x 8GB | SS | Samsung | 14-14-14-34 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • |

| | | | | | | | | | | | | |
|----------|---------------------------------|---------|----|----------|-------------|------|------------------------|------|------|---|---|---|
| G.SKILL | F4-3200C16Q2-64GTZKW | 8x 8GB | SS | Samsung | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| G.SKILL | F4-3200C16Q2-64GTZSW | 8x 8GB | SS | Samsung | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| G.SKILL | F4-3200C16Q2-64GTZSK | 8x 8GB | SS | Samsung | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| TIGO | X3 RGB TMKG8G3200C16(8GX2) | 2x 8GB | SS | - | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| TIGO | X3 RGB KMKG8G3200C16 | 8GB | SS | - | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| TIGO | X3 TMKG8G3200C16 | 8GB | SS | Samsung | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| G.SKILL | F4-3200C16Q-16GVKB | 4x 4GB | SS | SK Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| G.SKILL | F4-3200C16D-8GTZB | 2x 4GB | SS | SK Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| G.SKILL | F4-3200C16Q-16GTZB | 4x 4GB | SS | SK Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| G.SKILL | F4-3200C16D-8GRB | 2x 4GB | SS | SK Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| G.SKILL | F4-3200C16Q-32GTRS | 4x 8GB | SS | SK Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| G.SKILL | F4-3200C16Q2-64GTRS | 8x 8GB | SS | SK Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| G.SKILL | F4-3200C16D-16GTRG | 8x 8GB | SS | SK Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| G.SKILL | F4-3200C16Q-32GTRG | 8x 8GB | SS | SK Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| G.SKILL | F4-3200C16Q2-64GTRG | 8x 8GB | SS | SK Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| G.SKILL | F4-3200C16Q-32GTZR | 4x 8GB | SS | - | 18-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| G.SKILL | F4-3200C16Q2-64GTZR | 8x 8GB | SS | - | 18-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| G.SKILL | F4-3200C14Q-32GTZR | 4x 8GB | SS | - | 14-14-14-34 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| Team | TF0D48G3200C16CBK | 8GB | SS | SK Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| Team | TF1D416G3200HC16CDC01 | 8GB | SS | SK Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| Team | TF2D416G3200HC16CDC01 | 8GB | SS | SK Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| Team | TCD48G3200C14ABK | 8GB | SS | Samsung | 14-14-14-31 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| Team | TDPGD416G3200HC14ADC01 | 8GB | SS | Samsung | 14-14-14-31 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| Team | TDPRD416G3200HC14ADC01 | 8GB | SS | Samsung | 14-14-14-31 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| CORSAIR | CMK16GX4M2B3200C16W(Ver4.24) | 2x 8GB | DS | Samsung | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| CORSAIR | CMK16GX4M2B3200C16R(Ver4.24) | 2x 8GB | DS | Samsung | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| CORSAIR | CMU16GX4M2C3200C16B(Ver5.39) | 2x 8GB | SS | SK Hynix | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| CORSAIR | CMU16GX4M2C3200C16R(Ver5.39) | 2x 8GB | SS | SK Hynix | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| CORSAIR | CMU32GX4M2C3200C16B(Ver5.39) | 2x 16GB | DS | SK Hynix | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| CORSAIR | CMU32GX4M2C3200C16R(Ver5.39) | 2x 16GB | DS | SK Hynix | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| Kingston | KVR32N22S8/8 | 8GB | SS | Micron | 22-22-22-52 | 1.2 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| Crucial | BLS8G4D32AESTK.M8FE | 8GB | SS | Micron | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| Team | TED416G3200C22BK | 16GB | DS | Micron | 22-22-22-52 | 1.2 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| FORZA | NMUD480E82-3200DB21 | 8GB | SS | Hynix | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| Team | TED44G3200C22BK | 4GB | SS | Micron | 22-22-22-52 | 1.2 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| SK Hynix | HMA851U6DJR6N-XN | 4GB | SS | Hynix | 22-22-22-52 | 1.2 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| Team | TED48G3200C22BK | 8GB | SS | Micron | 22-22-22-52 | 1.2 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| SK Hynix | HMA81GU6DJR8N-XN | 8GB | SS | Hynix | 22-22-22-52 | 1.2 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| SK Hynix | HMA82GU6DJR8N-XN | 16GB | DS | Hynix | 22-22-22-52 | 1.2 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| PANRAM | W4U3200PS-8G | 2x 8GB | SS | Hynix | 22-22-22-52 | 1.2 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| ADATA | AX4U320038G16-ST60 | 8GB | SS | Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| ADATA | AX4U320038G16-DT60 | 8GB | SS | Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| ADATA | AX4U320038G16-BR80 | 8GB | SS | Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| ADATA | AX4U320038G16-DR80 | 8GB | SS | Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| ADATA | AX4U320038G16-SB80 | 8GB | SS | Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| ADATA | AX4U320038G16-DB80 | 8GB | SS | Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| ADATA | AX4U320038G16-BR41 | 8GB | SS | Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| ADATA | AX4U320038G16-DR41 | 8GB | SS | Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| ADATA | AX4U320038G16-BT41 | 8GB | SS | Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| ADATA | AX4U320038G16-DT41 | 8GB | SS | Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3200 | 3200 | • | • | • |
| Hyper X | HX433C16PB3K2/16 | 2x 8GB | SS | - | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3333 | 3333 | • | • | • |
| CORSAIR | CMR32GX4M4C3333C16(Ver4.31) | 4x 8GB | SS | Samsung | 16-18-18-35 | 1.35 | Ryzen™ 4000-Series APU | 3333 | 3333 | • | • | • |
| G.SKILL | F4-3400C16Q-16GRBD | 4x 4GB | SS | Samsung | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3400 | 3400 | • | • | • |
| G.SKILL | F4-3466C16Q-16GVK | 4x 4GB | SS | - | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3466 | 3466 | • | • | • |
| CORSAIR | CMD16GX4M4B3466C18 (Ver4.23) | 4x 4GB | SS | - | 18-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 3466 | 3466 | • | • | • |
| PATRIOT | PV48G340C6K | 2x 4GB | SS | Samsung | 17-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3400 | 3400 | • | • | • |
| CORSAIR | CMU32GX4M4C3400C16R (Ver5.20) | 4x 8GB | SS | Samsung | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3400 | 3400 | • | • | • |

| | | | | | | | | | | | |
|---------|-------------------------------|---------|----|----------|-------------|------|------------------------|------|------|---|---|
| CORSAIR | CMD32GX4M2B3466C16(Ver4.31) | 2x 16GB | DS | Samsung | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3466 | 3466 | ● | ● |
| CORSAIR | CMR16GX4M2C3466C16(Ver4.31) | 2x 8GB | SS | Samsung | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3466 | 3466 | ● | ● |
| G.SKILL | F4-3466C16Q2-64GTZ | 8x 8GB | SS | - | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3466 | 3466 | ● | ● |
| Hyper X | HX434C19FBK2/32 | 2x 16GB | DS | Micron | 19-23-23-42 | 1.2 | Ryzen™ 4000-Series APU | 3466 | 3466 | ● | ● |
| Hyper X | HX434C19FRK2/32 | 2x 16GB | DS | Micron | 19-23-23-42 | 1.2 | Ryzen™ 4000-Series APU | 3466 | 3466 | ● | ● |
| Hyper X | HX434C19FWK2/32 | 2x 16GB | DS | Micron | 19-23-23-42 | 1.2 | Ryzen™ 4000-Series APU | 3466 | 3466 | ● | ● |
| Hyper X | HX434C19FB2/8 | 8GB | SS | Micron | 19-23-23-42 | 1.2 | Ryzen™ 4000-Series APU | 3466 | 3466 | ● | ● |
| Hyper X | HX434C19FR2/8 | 8GB | SS | Micron | 19-23-23-42 | 1.2 | Ryzen™ 4000-Series APU | 3466 | 3466 | ● | ● |
| Hyper X | HX434C19FW2/8 | 8GB | SS | Micron | 19-23-23-42 | 1.2 | Ryzen™ 4000-Series APU | 3466 | 3466 | ● | ● |
| Crucial | BLE8G4D34AEEAK.K8FB | 8GB | SS | Samsung | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3466 | 3466 | ● | ● |
| G.SKILL | F4-3466C16D-16GFX | 2x 8GB | SS | Samsung | 16-16-16-36 | 1.35 | Ryzen™ 4000-Series APU | 3466 | 3466 | ● | ● |
| G.SKILL | F4-3400C16D-16GSXW | 2x 8GB | SS | Samsung | 16-16-16-36 | 1.35 | Ryzen™ 4000-Series APU | 3400 | 3400 | ● | ● |
| G.SKILL | F4-3466C16D-16GTZ | 2x 8GB | SS | - | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3466 | 3466 | ● | ● |
| G.SKILL | F4-3466C16D-16GTZKW | 2x 8GB | SS | - | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3466 | 3466 | ● | ● |
| G.SKILL | F4-3466C16D-16GTZSW | 2x 8GB | SS | - | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3466 | 3466 | ● | ● |
| G.SKILL | F4-3466C16D-16GTZSK | 2x 8GB | SS | - | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3466 | 3466 | ● | ● |
| G.SKILL | F4-3466C16Q-32GTZ | 4x 8GB | SS | - | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3466 | 3466 | ● | ● |
| G.SKILL | F4-3466C16Q-32GTZSW | 4x 8GB | SS | - | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3466 | 3466 | ● | ● |
| G.SKILL | F4-3466C16Q-32GTZKW | 4x 8GB | SS | - | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3466 | 3466 | ● | ● |
| G.SKILL | F4-3466C16Q-32GTZSW | 8x 8GB | SS | - | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3466 | 3466 | ● | ● |
| G.SKILL | F4-3466C16Q2-64GTZSW | 8x 8GB | SS | - | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3466 | 3466 | ● | ● |
| G.SKILL | F4-3466C16Q2-64GTZKW | 8x 8GB | SS | - | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3466 | 3466 | ● | ● |
| G.SKILL | F4-3466C16D-16GVR | 2x 8GB | SS | - | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3466 | 3466 | ● | ● |
| G.SKILL | F4-3466C16D-16GVK | 2x 8GB | SS | - | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3466 | 3466 | ● | ● |
| G.SKILL | F4-3466C16Q-32GVR | 4x 8GB | SS | - | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3466 | 3466 | ● | ● |
| G.SKILL | F4-3466C16Q-32GVK | 4x 8GB | SS | - | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3466 | 3466 | ● | ● |
| Hyper X | HX434C16FB3AK4/64 | 4x 16GB | DS | Samsung | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3466 | 3466 | ● | ● |
| Hyper X | HX434C16FB3AK2/32 | 2x 16GB | DS | Samsung | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3466 | 3466 | ● | ● |
| Hyper X | HX434C16FB3A/16 | 16GB | DS | Samsung | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3466 | 3466 | ● | ● |
| Hyper X | HX434C16FB3K4/32 | 4x 8GB | DS | Samsung | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3466 | 3466 | ● | ● |
| Hyper X | HX434C16FB3K2/16 | 2x 8GB | DS | Samsung | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3466 | 3466 | ● | ● |
| Hyper X | HX434C16FB3K4/64 | 4x 16GB | DS | Samsung | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3466 | 3466 | ● | ● |
| Hyper X | HX436C17PB3K2/32 | 2x 16GB | DS | Samsung | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3466 | 3466 | ● | ● |
| Hyper X | HX436C17PB3/16 | 16GB | DS | Samsung | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3466 | 3466 | ● | ● |
| TEAM | TF7D48G3466HC16CBK | 8GB | SS | Hynix | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3400 | 3400 | ● | ● |
| MUSHKIN | MRB4U346JLLM16GX2 | 2x 16GB | DS | - | 18-20-20-40 | 1.35 | Ryzen™ 4000-Series APU | 3400 | 3400 | ● | ● |
| GALAXY | HOF4CALCS3600K17LD162C | 2x 8GB | SS | Samsung | 17-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | ● | ● |
| CORSAIR | CMK16GX4M2B3600C18(Ver4.31) | 2x 8GB | SS | Samsung | 18-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | ● | ● |
| CORSAIR | CMD8GX4M2B3600C18 (Ver4.24) | 2x 4GB | SS | Samsung | 18-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | ● | ● |
| GALAXY | HOF4CXL1BSR3600K17LD162C | 2x 8GB | SS | Samsung | 17-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | ● | ● |
| Hyper X | HX436C17PB3K4/32 | 4x 8GB | SS | Samsung | 17-18-18-39 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | ● | ● |
| G.SKILL | F4-3600C19D-16GSXK | 2x 8GB | SS | SK Hynix | 19-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | ● | ● |
| G.SKILL | F4-3600C18D-16GTZRFX | 2x 8GB | SS | SK Hynix | 18-22-22-42 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | ● | ● |
| PATRIOT | PVR416G360C6K | 2x 8GB | SS | Samsung | 17-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | ● | ● |
| ADATA | AX4U360038G17-BR80 | 8x 8GB | SS | Samsung | 17-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | ● | ● |
| CORSAIR | CMW16GX4M2C3600C18 Ver4.31 | 2x 8GB | SS | Samsung | 18-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | ● | ● |
| CORSAIR | CMR16GX4M2C3600C18 Ver4.31 | 2x 8GB | SS | Samsung | 18-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | ● | ● |
| PATRIOT | PVLW416G360C6K | 2x 8GB | SS | Samsung | 16-18-18-36 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | ● | ● |
| CORSAIR | CMD16GX4M2B3600C18 Ver4.31 | 2x 8GB | SS | Samsung | 18-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | ● | ● |
| Crucial | BL58G4D36BESBK.8FE | 8GB | SS | Micron | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | ● | ● |
| Team | TF5D48G3600HC18EBK | 8GB | SS | SK Hynix | 18-20-20-44 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | ● | ● |
| Team | TXKD48G3600HC18ABK | 8GB | SS | Samsung | 19-20-20-39 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | ● | ● |
| Team | TXD48G3600HC18ABK | 8GB | SS | Samsung | 19-20-20-39 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | ● | ● |
| G.SKILL | F4-3600C15D-16GTZ | 2x 8GB | SS | Samsung | 15-15-15-35 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | ● | ● |
| OLOY | MD4U083618IADA | 2x 8GB | SS | SK Hynix | 18-20-20-40 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | ● | ● |
| CORSAIR | CMT16GX4M2C3600C18(Ver4.31) | 2x 8GB | SS | Samsung | 19-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | ● | ● |
| V-color | TL48G36S8BNR8B18 | 8GB | SS | SK Hynix | 18-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | ● | ● |
| ADATA | AX4U360038G17-DR80 | 8x 8GB | SS | Samsung | 17-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | ● | ● |

| | | | | | | | | | | | |
|---------|---------------------------------|---------|----|----------|-------------|------|------------------------|------|------|---|---|
| CORSAIR | CMK16GX4M2Z3600C18 (Ver3.31) | 2x 8GB | SS | Micron | 19-22-22-42 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| CORSAIR | CMW16GX4M2Z3600C18(Ver3.31) | 2x 8GB | SS | Micron | 18-22-22-42 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| TIGO | TMKG8G3600C19 | 8GB | SS | SK Hynix | 19-20-20-40 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| G.SKILL | F4-3600C18D-16GTRS | 2x 8GB | SS | SK Hynix | 18-22-22-42 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| CORSAIR | CMW32GX4M4C3600C18 (Ver4.31) | 2x 8GB | SS | Samsung | 18-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| G.SKILL | F4-3600C17Q-32GTZR | 4x 8GB | SS | Samsung | 17-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| Asgard | VMA47UG-MEC1U2AW2 | 8GB | SS | Micron | 17-18-18-39 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| G.SKILL | F4-3600C18D-16GTRG | 2x 8GB | SS | SK Hynix | 18-22-22-42 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| G.SKILL | F4-3600C18D-16GVK | 2x 8GB | SS | SK Hynix | 18-22-22-42 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| G.SKILL | F4-3600C18Q-32GVK | 4x 8GB | SS | SK Hynix | 18-22-22-42 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| G.SKILL | F4-3600C17D-16GTZR | 2x 8GB | SS | Samsung | 17-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| G.SKILL | F4-3600C17D-16GTRS | 2x 8GB | SS | Samsung | 17-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| G.SKILL | F4-3600C17Q-32GTRS | 4x 8GB | SS | Samsung | 17-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| G.SKILL | F4-3600C17D-16GTRG | 2x 8GB | SS | Samsung | 17-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| G.SKILL | F4-3600C17Q-32GTRG | 4x 8GB | SS | Samsung | 17-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| G.SKILL | F4-3600C14D-16GTZN | 2x 8GB | SS | Samsung | 14-15-15-35 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| G.SKILL | F4-3600C16D-16GTZN | 2x 8GB | SS | Samsung | 16-16-16-36 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| G.SKILL | F4-3600C16Q-64GTZNC | 4x 16GB | DS | SK Hynix | 16-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| G.SKILL | F4-3600C18D-16GTZN | 2x 8GB | SS | Samsung | 18-22-22-42 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| G.SKILL | F4-3600C18Q-32GTZN | 4x 8GB | SS | Samsung | 18-22-22-42 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| G.SKILL | F4-3600C16D-16GTZ | 2x 8GB | SS | Samsung | 16-16-16-36 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| G.SKILL | F4-3600C16D-16GTZSW | 2x 8GB | SS | Samsung | 16-16-16-36 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| G.SKILL | F4-3600C16D-16GTZKW | 2x 8GB | SS | Samsung | 16-16-16-36 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| G.SKILL | F4-3600C16Q-32GTZSW | 4x 8GB | SS | Samsung | 16-16-16-36 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| G.SKILL | F4-3600C16Q-32GTZKK | 4x 8GB | SS | Samsung | 16-16-16-36 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| G.SKILL | F4-3600C16Q2-64GTZSW | 8x 8GB | SS | Samsung | 16-16-16-36 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| G.SKILL | F4-3600C16Q2-64GTZKK | 8x 8GB | SS | Samsung | 16-16-16-36 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| G.SKILL | F4-3600C16D-16GVK | 2x 8GB | SS | Samsung | 16-16-16-36 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| G.SKILL | F4-3600C17D-16GSXW | 2x 8GB | SS | Samsung | 17-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| G.SKILL | F4-3600C17D-16GVK | 2x 8GB | SS | Samsung | 17-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| G.SKILL | F4-3600C17Q-32GVK | 4x 8GB | SS | Samsung | 17-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| G.SKILL | F4-3600C17D-16GTZ | 2x 8GB | SS | Samsung | 17-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| G.SKILL | F4-3600C17D-16GTZSW | 2x 8GB | SS | Samsung | 17-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| G.SKILL | F4-3600C17D-16GTZKW | 2x 8GB | SS | Samsung | 17-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| G.SKILL | F4-3600C17Q-32GTZ | 4x 8GB | SS | Samsung | 17-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| G.SKILL | F4-3600C17Q-64GTZ | 4x 16GB | DS | Samsung | 17-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| G.SKILL | F4-3600C17D-32GTZ | 2x 16GB | DS | Samsung | 17-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| G.SKILL | F4-3600C17D-32GTZSW | 2x 16GB | DS | Samsung | 17-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| G.SKILL | F4-3600C17D-32GTZKW | 2x 16GB | DS | Samsung | 17-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| G.SKILL | F4-3600C17Q-64GTZSW | 4x 16GB | DS | Samsung | 17-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| G.SKILL | F4-3600C17Q-64GTZKW | 4x 16GB | DS | Samsung | 17-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| G.SKILL | F4-3600C17Q-64GTZKK | 4x 16GB | DS | Samsung | 17-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| G.SKILL | F4-3600C17Q2-128GTZSW | 8x 16GB | DS | Samsung | 17-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| G.SKILL | F4-3600C17Q2-128GTZKK | 8x 16GB | DS | Samsung | 17-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| G.SKILL | F4-3600C19Q-32GSXW | 4x 8GB | SS | SK Hynix | 19-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| Team | TF0D48G3600C18EBK | 8GB | SS | SK Hynix | 18-20-20-44 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| Team | TF1D416G3600HC18EDC01 | 8GB | SS | SK Hynix | 18-20-20-44 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| Team | TF2D416G3600HC18EDC01 | 8GB | SS | SK Hynix | 18-20-20-44 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| Team | TF6D416G3600HC18EDC01 | 8GB | SS | SK Hynix | 18-20-20-44 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| Team | TXKD416G3600HC18ADC01 | 8GB | SS | Samsung | 19-20-20-39 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| Team | TXD416G3600HC18ADC01 | 8GB | SS | Samsung | 19-20-20-39 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| Team | TXKD432G3600HC16CQC01 | 8GB | SS | Samsung | 19-20-20-39 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| Team | TXD432G3600HC16CQC01 | 8GB | SS | Samsung | 19-20-20-39 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| CORSAIR | CMK16GX4M2B3600C18R(Ver4.31) | 2x 8GB | SS | Samsung | 18-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| CORSAIR | CMW16GX4M2C3600C18W Ver4.31 | 2x 8GB | SS | Samsung | 18-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| CORSAIR | CMR16GX4M2C3600C18W Ver4.31 | 2x 8GB | SS | Samsung | 18-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |
| CORSAIR | CMW32GX4M4C3600C18W (Ver4.31) | 2x 8GB | SS | Samsung | 18-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • |

| | | | | | | | | | | | | |
|---------|-------------------------------|---------|----|----------|-------------|------|------------------------|------|------|---|---|---|
| Hyper X | HX436C17PB3K4/64 | 4x 16GB | DS | SK Hynix | 17-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • | • |
| Hyper X | HX436C17PB3K2/32 | 2x 16GB | DS | SK Hynix | 17-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • | • |
| Hyper X | HX436C17PB3/16 | 16GB | DS | SK Hynix | 17-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • | • |
| GALAXY | HOF4CJL4BST3600K17LD162CL | 2x 8GB | SS | Samsung | 17-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • | • |
| Antec | AM4U36188G11-7DKR | 2x 8GB | SS | Micron | 18-20-20-44 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • | • |
| Crucial | BLE8G4D36BEEAK.M8FE1 | 2x 8GB | SS | Micron | 16-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • | • |
| FORZA | NMUD480E82-3600DB21 | 2x 8GB | SS | Hynix | 18-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • | • |
| GALAXY | HOF-OC-LAB-AURORA-3600-8G | 8GB | SS | Samsung | 17-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • | • |
| ADATA | AX4U360038G17-ST60 | 8x 8GB | SS | Samsung | 17-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • | • |
| ADATA | AX4U360038G17F-DT60 | 8x 8GB | SS | Samsung | 17-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • | • |
| ADATA | AX4U360038G17F-BT60 | 8x 8GB | SS | Samsung | 17-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • | • |
| ADATA | AX4U360038G17-DT60 | 8x 8GB | SS | Samsung | 17-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • | • |
| ADATA | AX4U360038G17-SR80 | 8x 8GB | SS | Samsung | 17-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • | • |
| ADATA | AX4U360038G17-SB80 | 8x 8GB | SS | Samsung | 17-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • | • |
| ADATA | AX4U360038G17-DR80 | 8x 8GB | SS | Samsung | 17-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • | • |
| ADATA | AX4U360038G17-DB80 | 8x 8GB | SS | Samsung | 17-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • | • |
| ADATA | AX4U360038G17-ST41 | 8x 8GB | SS | Samsung | 17-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • | • |
| ADATA | AX4U360038G17-SR41 | 8x 8GB | SS | Samsung | 17-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • | • |
| ADATA | AX4U360038G17-DT41 | 8x 8GB | SS | Samsung | 17-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • | • |
| ADATA | AX4U360038G17-DR41 | 8x 8GB | SS | Samsung | 17-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • | • |
| Team | TF0D416G3600C18JBK | 16GB | DS | Hynix | 18-22-22-42 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • | • |
| ADATA | AX4U360038G17-SR80 | 8x 8GB | SS | Samsung | 17-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • | • |
| ADATA | AX4U360038G17-QR80 | 8x 8GB | SS | Samsung | 17-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • | • |
| ADATA | AX4U360038G17-SB80 | 8x 8GB | SS | Samsung | 17-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • | • |
| ADATA | AX4U360038G17-DB80 | 8x 8GB | SS | Samsung | 17-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • | • |
| ADATA | AX4U360038G17-BR41 | 8x 8GB | SS | Samsung | 17-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • | • |
| ADATA | AX4U360038G17-SR41 | 8x 8GB | SS | Samsung | 17-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • | • |
| ADATA | AX4U360038G17-DR41 | 8x 8GB | SS | Samsung | 17-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • | • |
| ADATA | AX4U360038G17-QR41 | 8x 8GB | SS | Samsung | 17-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • | • |
| ADATA | AX4U360038G17-ST41 | 8x 8GB | SS | Samsung | 17-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • | • |
| ADATA | AX4U360038G17-DT41 | 8x 8GB | SS | Samsung | 17-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • | • |
| ADATA | AX4U360038G17-ST60 | 8x 8GB | SS | Samsung | 17-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • | • |
| ADATA | AX4U360038G17-DT60 | 8x 8GB | SS | Samsung | 17-18-18-38 | 1.35 | Ryzen™ 4000-Series APU | 3600 | 3600 | • | • | • |
| CORSAIR | CMD8GX4M2B3733C17 (Ver4.24) | 2x 4GB | SS | - | 17-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 3733 | 3733 | • | • | • |
| G.SKILL | F4-3866C18Q-16GTZ | 4x 4GB | SS | Samsung | 18-22-22-42 | 1.35 | Ryzen™ 4000-Series APU | 3866 | 3866 | • | • | • |
| CORSAIR | CMD16GX4M2B3866C18(Ver4.31) | 2x 8GB | SS | Samsung | 18-22-22-40 | 1.35 | Ryzen™ 4000-Series APU | 3866 | 3866 | • | • | • |
| Team | TXD48G3866HC18EBK | 8GB | SS | Samsung | 18-20-20-44 | 1.35 | Ryzen™ 4000-Series APU | 3866 | 3866 | • | • | • |
| G.SKILL | F4-3866C18Q-32GTZ | 4x 8GB | SS | Samsung | 18-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 3866 | 3866 | • | • | • |
| G.SKILL | F4-3866C18D-16GTZ | 2x 8GB | SS | Samsung | 18-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 3866 | 3866 | • | • | • |
| G.SKILL | F4-3866C18D-16GTZSW | 2x 8GB | SS | Samsung | 18-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 3866 | 3866 | • | • | • |
| G.SKILL | F4-3866C18Q-32GTZSW | 4x 8GB | SS | Samsung | 18-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 3866 | 3866 | • | • | • |
| G.SKILL | F4-3866C18Q-32GTZKW | 4x 8GB | SS | Samsung | 18-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 3866 | 3866 | • | • | • |
| Team | TCD48G3866C18ABK | 8GB | SS | Samsung | 18-20-20-44 | 1.35 | Ryzen™ 4000-Series APU | 3866 | 3866 | • | • | • |
| Team | TXKD416G3866HC18EDC01 | 8GB | SS | Samsung | 18-20-20-44 | 1.35 | Ryzen™ 4000-Series APU | 3866 | 3866 | • | • | • |
| Team | TXD416G3866HC18EDC01 | 8GB | SS | Samsung | 18-20-20-44 | 1.35 | Ryzen™ 4000-Series APU | 3866 | 3866 | • | • | • |
| PATRIOT | PVS416G386C8K | 2x 8GB | SS | Samsung | 18-22-22-40 | 1.35 | Ryzen™ 4000-Series APU | 3866 | 3866 | • | • | • |
| GALAXY | HOF4CRL1CST4000M19SF162C | 2x 8GB | SS | Samsung | 19-25-25-45 | 1.4 | Ryzen™ 4000-Series APU | 4000 | 4000 | • | • | • |
| G.SKILL | F4-4000C19D-32GTZKK | 16GB | DS | Samsung | 19-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 4000 | 4000 | • | • | • |
| Hyper X | HX440C19PB3AK2/16 | 2x 8GB | SS | Samsung | 19-21-21-42 | 1.35 | Ryzen™ 4000-Series APU | 4000 | 4000 | • | • | • |
| Team | TF2D48G4000HC18EBK | 8GB | SS | Samsung | 18-20-20-44 | 1.35 | Ryzen™ 4000-Series APU | 4000 | 4000 | • | • | • |
| CORSAIR | CMW32GX4M4K4000C19(Ver4.31) | 4x 8GB | SS | Samsung | 19-23-23-45 | 1.35 | Ryzen™ 4000-Series APU | 4000 | 4000 | • | • | • |
| PATRIOT | PVB416G400C9K | 2x 8GB | SS | Samsung | 19-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 4000 | 4000 | • | • | • |
| G.SKILL | F4-4000C18Q-32GTZ | 4x 8GB | SS | Samsung | 18-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 4000 | 4000 | • | • | • |
| G.SKILL | F4-4000C18D-16GTZ | 2x 8GB | SS | Samsung | 18-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 4000 | 4000 | • | • | • |
| G.SKILL | F4-4000C18D-16GTZSW | 2x 8GB | SS | Samsung | 18-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 4000 | 4000 | • | • | • |
| G.SKILL | F4-4000C18D-16GTZKW | 2x 8GB | SS | Samsung | 18-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 4000 | 4000 | • | • | • |

| | | | | | | | | | | | |
|---------|----------------------------|---------|----|---------|-------------|------|------------------------|------|------|---|---|
| G.SKILL | F4-4000C18Q-32GTZSW | 4x 8GB | SS | Samsung | 18-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 4000 | 4000 | • | • |
| G.SKILL | F4-4000C18Q-32GTZKW | 4x 8GB | SS | Samsung | 18-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 4000 | 4000 | • | • |
| G.SKILL | F4-4000C18Q2-64GTZSW | 8x 8GB | SS | Samsung | 18-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 4000 | 4000 | • | • |
| G.SKILL | F4-4000C18Q2-64GTZKK | 8x 8GB | SS | Samsung | 18-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 4000 | 4000 | • | • |
| G.SKILL | F4-4000C18D-16GTZ | 2x 8GB | SS | Samsung | 18-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 4000 | 4000 | • | • |
| G.SKILL | F4-4000C19D-32GTZSW | 2x 16GB | SS | Samsung | 19-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 4000 | 4000 | • | • |
| G.SKILL | F4-4000C19D-32GTRS | 2x 16GB | SS | Samsung | 19-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 4000 | 4000 | • | • |
| G.SKILL | F4-4000C19D-32GTRG | 2x 16GB | SS | Samsung | 19-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 4000 | 4000 | • | • |
| Team | TF0D48G4000C18EBK | 8GB | SS | Samsung | 18-20-20-44 | 1.35 | Ryzen™ 4000-Series APU | 4000 | 4000 | • | • |
| Team | TF1D416G4000HC18EDC01 | 8GB | SS | Samsung | 18-20-20-44 | 1.35 | Ryzen™ 4000-Series APU | 4000 | 4000 | • | • |
| Team | TF2D416G4000HC18EDC01 | 8GB | SS | Samsung | 18-20-20-44 | 1.35 | Ryzen™ 4000-Series APU | 4000 | 4000 | • | • |
| Team | TF6D416G4000HC18EDC01 | 8GB | SS | Samsung | 18-20-20-44 | 1.35 | Ryzen™ 4000-Series APU | 4000 | 4000 | • | • |
| Team | TF5D416G4000HC18EDC01 | 8GB | SS | Samsung | 18-20-20-44 | 1.35 | Ryzen™ 4000-Series APU | 4000 | 4000 | • | • |
| Hyper X | HX440C19PB3K2/16 | 2x 8GB | SS | Samsung | 19-21-21-42 | 1.35 | Ryzen™ 4000-Series APU | 4000 | 4000 | • | • |
| Hyper X | HX440C19PB3/8 | 8GB | SS | Samsung | 19-21-21-42 | 1.35 | Ryzen™ 4000-Series APU | 4000 | 4000 | • | • |
| GALAXY | HOF4CJL4BST4000M19SF162CL | 2x 8GB | SS | Samsung | 19-25-25-45 | 1.4 | Ryzen™ 4000-Series APU | 4000 | 4000 | • | • |
| FORZA | NMUD480E82-4000FB21 | 2x 8GB | SS | Hynix | 21-21-21-64 | 1.4 | Ryzen™ 4000-Series APU | 4000 | 4000 | • | • |
| GALAXY | HOF4CXL3BST4000M19SF162CL | 2x 8GB | SS | Samsung | 19-25-25-45 | 1.4 | Ryzen™ 4000-Series APU | 4000 | 4000 | • | • |
| GALAXY | HOF4CXL4BST4000M19SF162CL | 2x 8GB | SS | Samsung | 19-25-25-45 | 1.4 | Ryzen™ 4000-Series APU | 4000 | 4000 | • | • |
| G.SKILL | F4-4133C19D-16GTZKWC | 2x 8GB | SS | Samsung | 19-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 4133 | 4133 | • | • |
| G.SKILL | F4-4133C17Q-32GTZR | 4x 8GB | SS | Samsung | 17-17-17-37 | 1.4 | Ryzen™ 4000-Series APU | 4133 | 4133 | • | • |
| PATRIOT | PVR416G413C9K | 2x 8GB | SS | Samsung | 19-21-21-41 | 1.4 | Ryzen™ 4000-Series APU | 4133 | 4133 | • | • |
| G.SKILL | F4-4133C17D-16GTZR | 2x 8GB | SS | Samsung | 17-17-17-37 | 1.4 | Ryzen™ 4000-Series APU | 4133 | 4133 | • | • |
| G.SKILL | F4-4133C19D-16GTZKW | 2x 8GB | SS | Samsung | 19-21-21-41 | 1.35 | Ryzen™ 4000-Series APU | 4133 | 4133 | • | • |
| G.SKILL | F4-4133C19D-16GTZC | 2x 8GB | SS | Samsung | 19-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 4133 | 4133 | • | • |
| G.SKILL | F4-4133C19D-16GTZSWC | 2x 8GB | SS | Samsung | 19-19-19-39 | 1.35 | Ryzen™ 4000-Series APU | 4133 | 4133 | • | • |
| ADATA | AX4U41338G19-DR30 | 8x 8GB | SS | Samsung | 19-23-23-45 | 1.4 | Ryzen™ 4000-Series APU | 4133 | 4133 | • | • |
| PATRIOT | PVS416G413C9K | 2x 8GB | SS | Samsung | 19-21-21-41 | 1.35 | Ryzen™ 4000-Series APU | 4133 | 4133 | • | • |
| ADATA | AX4U413338G19-DT60 | 8x 8GB | SS | Samsung | 20-19-19-39 | 1.4 | Ryzen™ 4000-Series APU | 4133 | 4133 | • | • |
| ADATA | AX4U413338G19-ST60 | 8x 8GB | SS | Samsung | 20-19-19-39 | 1.4 | Ryzen™ 4000-Series APU | 4133 | 4133 | • | • |
| ADATA | AX4U413338G19-SR80 | 8x 8GB | SS | Samsung | 20-19-19-39 | 1.4 | Ryzen™ 4000-Series APU | 4133 | 4133 | • | • |
| ADATA | AX4U413338G19-SB80 | 8x 8GB | SS | Samsung | 20-19-19-39 | 1.4 | Ryzen™ 4000-Series APU | 4133 | 4133 | • | • |
| ADATA | AX4U413338G19-DR80 | 8x 8GB | SS | Samsung | 20-19-19-39 | 1.4 | Ryzen™ 4000-Series APU | 4133 | 4133 | • | • |
| ADATA | AX4U413338G19-DB80 | 8x 8GB | SS | Samsung | 20-19-19-39 | 1.4 | Ryzen™ 4000-Series APU | 4133 | 4133 | • | • |
| ADATA | AX4U413338G19-ST41 | 8x 8GB | SS | Samsung | 20-19-19-39 | 1.4 | Ryzen™ 4000-Series APU | 4133 | 4133 | • | • |
| ADATA | AX4U413338G19-SR41 | 8x 8GB | SS | Samsung | 20-19-19-39 | 1.4 | Ryzen™ 4000-Series APU | 4133 | 4133 | • | • |
| ADATA | AX4U413338G19-DT41 | 8x 8GB | SS | Samsung | 20-19-19-39 | 1.4 | Ryzen™ 4000-Series APU | 4133 | 4133 | • | • |
| ADATA | AX4U413338G19-DR41 | 8x 8GB | SS | Samsung | 20-19-19-39 | 1.4 | Ryzen™ 4000-Series APU | 4133 | 4133 | • | • |
| ADATA | AX4U41338G19-SR30 | 8x 8GB | SS | Samsung | 19-23-23-45 | 1.4 | Ryzen™ 4000-Series APU | 4133 | 4133 | • | • |
| ADATA | AX4U41338G19-SB30 | 8x 8GB | SS | Samsung | 19-23-23-45 | 1.4 | Ryzen™ 4000-Series APU | 4133 | 4133 | • | • |
| ADATA | AX4U41338G19-DB30 | 8x 8GB | SS | Samsung | 19-23-23-45 | 1.4 | Ryzen™ 4000-Series APU | 4133 | 4133 | • | • |
| ADATA | AX4U41338G19-SR41 | 8x 8GB | SS | Samsung | 19-23-23-45 | 1.4 | Ryzen™ 4000-Series APU | 4133 | 4133 | • | • |
| ADATA | AX4U41338G19-SR41 | 8x 8GB | SS | Samsung | 19-23-23-45 | 1.4 | Ryzen™ 4000-Series APU | 4133 | 4133 | • | • |
| G.SKILL | F4-4266C19D-16GTZKW | 2x 8GB | SS | Samsung | 19-19-19-39 | 1.4 | Ryzen™ 4000-Series APU | 4266 | 4266 | • | • |
| G.SKILL | F4-4200C19D-8GTZ | 2x 4GB | SS | Samsung | 19-26-26-46 | 1.4 | Ryzen™ 4000-Series APU | 4200 | 4200 | • | • |
| GALAXY | HOF4KXL4BST4266T19MF162C | 2x 8GB | SS | Samsung | 19-19-19-39 | 1.4 | Ryzen™ 4000-Series APU | 4266 | 4266 | • | • |
| G.SKILL | F4-4266C19D-16GTZA | 2x 8GB | SS | Samsung | 19-19-19-39 | 1.4 | Ryzen™ 4000-Series APU | 4266 | 4266 | • | • |
| G.SKILL | F4-4266C19D-16GTZSW | 2x 8GB | SS | Samsung | 19-19-19-39 | 1.4 | Ryzen™ 4000-Series APU | 4266 | 4266 | • | • |
| CORSAIR | CMK16GX4M2K4266C19 ver3.31 | 2x 8GB | SS | Micron | 19-26-26-46 | 1.4 | Ryzen™ 4000-Series APU | 4266 | 4266 | • | • |
| CORSAIR | CMW16GX4M2K4266C19 ver4.31 | 2x 8GB | SS | Samsung | 19-26-26-46 | 1.4 | Ryzen™ 4000-Series APU | 4266 | 4266 | • | • |
| CORSAIR | CMT16GX4M2K4266C19 ver4.31 | 2x 8GB | SS | Samsung | 19-26-26-46 | 1.4 | Ryzen™ 4000-Series APU | 4266 | 4266 | • | • |
| G.SKILL | F4-4266C19D-16GTZR | 2x 8GB | SS | Samsung | 19-19-19-39 | 1.4 | Ryzen™ 4000-Series APU | 4266 | 4266 | • | • |
| G.SKILL | F4-4266C19D-16GTRS | 2x 8GB | SS | Samsung | 19-19-19-39 | 1.4 | Ryzen™ 4000-Series APU | 4266 | 4266 | • | • |
| G.SKILL | F4-4266C19D-16GTRG | 2x 8GB | SS | Samsung | 19-19-19-39 | 1.4 | Ryzen™ 4000-Series APU | 4266 | 4266 | • | • |
| G.SKILL | F4-4333C19D-16GTZKK | 8GB | SS | Samsung | 19-19-19-39 | 1.4 | Ryzen™ 4000-Series APU | 4333 | 4333 | • | • |
| GALAXY | HOF4PXL4BST4400P19MF162C | 2x 8GB | SS | Samsung | 19-19-19-39 | 1.4 | Ryzen™ 4000-Series APU | 4400 | 4400 | • | • |
| G.SKILL | F4-4400C19D-16GTZSW | 2x 8GB | SS | Samsung | 19-19-19-39 | 1.4 | Ryzen™ 4000-Series APU | 4400 | 4400 | • | • |

| | | | | | | | | | | | |
|---------|-----------------------------|--------|----|----------|-------------|------|------------------------|------|------|---|---|
| G.SKILL | F4-4400C19D-16GTZKK | 2x 8GB | SS | Samsung | 19-19-19-39 | 1.4 | Ryzen™ 4000-Series APU | 4400 | 4400 | • | • |
| CORSAIR | CMK16GX4M2K4400C19 ver4.31 | 2x 8GB | SS | Samsung | 19-19-19-39 | 1.4 | Ryzen™ 4000-Series APU | 4400 | 4400 | • | • |
| CORSAIR | CMW32GX4M4K4400C18 ver4.31 | 4x 8GB | SS | Samsung | 18-26-26-46 | 1.5 | Ryzen™ 4000-Series APU | 4400 | 4400 | • | • |
| G.SKILL | F4-4500C19D-16GTZKKE | 2x 8GB | SS | Samsung | 19-19-19-39 | 1.45 | Ryzen™ 4000-Series APU | 4500 | 4500 | • | • |
| GALAXY | HOF4PXL4BST4500Q19MG162C | 2x 8GB | SS | Samsung | 19-19-19-39 | 1.45 | Ryzen™ 4000-Series APU | 4500 | 4500 | • | • |
| G.SKILL | F4-4500C19D-16GTZSWE | 2x 8GB | SS | Samsung | 19-19-19-39 | 1.45 | Ryzen™ 4000-Series APU | 4500 | 4500 | • | • |
| CORSAIR | CMW16CX4M2K4600C19(Ver4.31) | 2x 8GB | SS | Samsung | 19-26-26-46 | 1.5 | Ryzen™ 4000-Series APU | 4600 | 4600 | • | • |
| CORSAIR | CMK16GX4M2K4600C19 ver4.31 | 2x 8GB | SS | Samsung | 19-26-26-46 | 1.5 | Ryzen™ 4000-Series APU | 4600 | 4600 | • | • |
| Hyper X | HX446C19PB3K2/16 | 2x 8GB | SS | Samsung | 19-26-26-45 | 1.5 | Ryzen™ 4000-Series APU | 4600 | 4600 | • | • |
| Hyper X | HX448C19PB3K2/16 | 2x 8GB | SS | SK Hynix | 19-26-26-46 | 1.5 | Ryzen™ 4000-Series APU | 4800 | 4800 | • | • |
| CORSAIR | CMK16GX4M2XZ4866C18 | 8GB | SS | Micron | 18-26-26-46 | 1.5 | Ryzen™ 4000-Series APU | 4866 | 4866 | • | • |
| Crucial | BLM8G51C19U4B | 8GB | SS | Micron | 20-23-23-43 | 1.45 | Ryzen™ 4000-Series APU | 5100 | 5100 | • | • |

Note:

4 DIMM Slots

For each DRAM channel (A,B), make sure to install the DRAM module to gray slot first.

- 1 DIMM: Supports one (1) module inserted into any gray slot as Single-channel memory configuration. Install the module into the A2* or B2* slot for better compatibility.
- 2 DIMMs: Supports two (2) modules inserted into one pair of gray slots as one pair of Dual-channel memory configuration. Install the modules into slots A2* and B2* for better compatibility.
- 4 DIMMs: Supports 4 modules inserted into all slots as two pairs of Dual-channel memory configuration.

1. Make sure to install the memory modules from the gray slots first.

2. The default DIMM frequency depends on its Serial Presence Detect (SPD), which is the standard way of accessing information from a memory module. Under the default state, some memory modules for overclocking may operate at a lower frequency than the vendor-marked value.

3. Always install DIMMs with the same CAS latency. For optimal compatibility, we recommend that you install memory modules of the same version or date code (D/C) from the same vendor. Check with the retailer to get the correct memory modules.