


1

使用7-Zip 解壓縮


Extract “BKXCR000_v014_20201013_EXE” file by 7-ZIP.



2

進入資料夾並執行"Setup"

In the BKXCR000_v014_20201013_EXE folder, clicking "Setup.exe" to start.



3

同意以管理者權限開啟執行檔後，即可看到以下執行畫面，待跳出“Press any key to continue...”後，敲擊任意鍵視窗自動關閉即完成更新

Once agree to execute the runtime file with administrator privileges, you will see the below information screen. After that, when word string "Press any key to continue..." pops out, please clicking any key to close the window automatically to finish the update.

```
C:\Users\FX506LI\10870\Desktop\BKXCR000_v014_20201013_EXE\Setup.exe
```

```
Address 0x2E : 0x8987  
Flash 8851 Utility Version : 6.13.3.0  
Bin file version 0 1 4  
FWVER 14chip id : 8851  
SMSR 20SPI ID ff ff fe  
ERA  
SMSR 20WDI chip id : 8851  
SMSR 10SPI ID ff ff fe  
  
>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>L0D0  
WRT0  
VRY2  
WSG3  
VSG4  
QUT  
dk_flash8851_exitfollow and waiting for finish  
SMSR 10WDI SCSR c1  
SMSR c3  
version 0 14 14  
flash progress success  
Press any key to continue . . . ■
```