

Qualified Vendors List – Devices

1. Power Supplies

Model	
AcBel	IP-500 HB9024
Antec	CP-1000
	EA-430D
	EA-650 EarthWatts Green
	EA-750
Be quiet	BQT LT-530W
Centurystar	ST-330
CoolerMaster	RS-C50-EMBA-D2
Corsair	CMPSU-850AX
	CMPSU-1000HX
Delux	DLP-650PG
EnerMAX	EPM850EWT
	ERV1050EWT
	MAXREVO
Enertronix	EN-300
Geil	TTB800G
GoldenField	ATX-S395
GreatWall	BTX-500GT
HAMER	MIT750
Huntkey	HK400-55AP
LEPA	G1600-MA
OCZ	OCZ550FTY
Power Box	PB450W
Rosewill	RBR1000-M
Seasonic	SS-1000XP
	SS-1250XM
	S12 II SS-330GB 330W
Segotep	SG-400PYJ
Seventeam	ST-550P-AD
Sharkoon	SHA-R600M
Silverstone	SST-ST1500
Super Flower	SF-350P14XE
	SF-550P14PE
Thermaltake	TR2 RX-750AH3CH
	TR2 RX-850AH3CH
	TR2 RX-1200AH3CH
Thermaltake	TOUGHPower1500A
	Toughpower TPX775

2. Hard Drives

2.1. HDD Devices

Type	Model	
SATA 6G	Hitachi	HDS723030ALA640
		HDS724040ALE640
	Samsung	HD322GM
	Seagate	ST1000DM003
		ST1000LM014-3Y/P
		ST1000NM0011
		ST3000DM001
		ST31000529AS
		ST32000544NS
		ST32000641AS
		ST33000651AS
		ST4000DM000
		ST500DM002
		ST500LM000-3Y/P
	ST750LX003	
	Toshiba	HDS721010DLE630
	WD	WD1002FAEX
		WD10EZEX
		WD2002FAEX
		WD20EFRX
WD25EZRX		
WD30EFRX		
WD30EZRX		
WD4001FAEX		
WD5000AAKX		
WD5000HHTZ		
WD6000HLHX		
WD6402AAEX		
SATA300		Hitachi
	Seagate	ST31000528AS
		ST32000540AS
		ST3500320NS
		ST95005620AS
	Simmtrnics	HDP725050GLA360
	TOSHIBA	MK5061SYN
	WD	WD2001FASS
		WD20EADS
		WD20EARS
		WD30EZRS
WD5000BPKT		

2.2. SSD Devices

Type	Model	
SATA 6G SSD	ADATA	ADATA S511-120G
	Crucial	Crucial CT064M4SSD2
		Crucial CT256M4SSD1
		Crucial CTFDDAC256MAG-1G1
	Corsair	Corsair CSSD-F120GB3-BK
		Corsair NEUTRON GTX 240GB
		Corsair NEUTRON 128GB
		Corsair P3-128GB2
	Intel	Corsair Force GS 240GB
		Intel SSD 330 Series 120G
		Intel SSD 335 Series 180G
		Intel SSD 520 Series 120G
	Kingston	Intel SSD 510 Series 250G
		Kingston SH103S3/120GB
		Kingston SVP200S37A
	OCZ	Kingston V300
		OCZ AGT3-25SAT3-120G
PATRIOT	PATRIOT PW120GS25SSDR	
Plextor	Plextor PX-128M2P	
Samsung	SAMSUNG SSD 830 SERIES 128GB	
	SAMSUNG SSD 840 PRO SERIES 128GB	
SanDisk	SanDisk Ultra Plus SSD	
SiliconPower	SiliconPower SP120GBSSDV30S25	
Team	Team TG120GS25AS3M	
SATA SSD	ADATA	ADATA N004-64G
	Intel	Intel SSDSA2CW1203K5
	SiliconPower	SiliconPower SP120GBSSDV20S25
	Team	Team TG120GS25ACEM

2.3. PCIE SSD

Type	Model	
PCIE	OCZ	RevoDrive3 MAX IOPS
	OWC	Mercury Accelsior 240GB

3. Peripheral

3.1. USB Storage

3.1.1. Card Readers

Type	Model	
USB 3.0	Kingston	Kingston FCR-HS3 USB 3.0 Media Reader

3.1.2. External Enclosures

Type	Model	
USB 3.0	Buffalo	Buffalo HD-HX1.0TU3-AP
		Buffalo HD-LB2.0TU3-A2
	Bytecc	BYTECC T-200U3 black docking station
	Data-Tec	U350SR-U3
	iomega	eGo 500GB
	OYEN DIGITAL	MiniPro eSATA/USB3.0 HDD version
		MiniPro eSATA/USB3.0 SSD version
		MiniPro FW800/USB3.0 HDD version
		MiniPro FW800/USB3.0 SSD version
	Sharkoon	Rapid case 2.5"
Transcend	TS500GSJ25H3P	
WD	MY Passport Edge 500G	
USB 2.0	WD	My Book Studio Edition II 4TB
Thunderbolt	Apple	Thunderbolt to FireWire Adapter
	Buffalo	HD-PATU3 1TB
		MiniStation Thunderbolt
	Blackmagic	Intensity Extreme
		Intensity Shuttle
		UltraStudio 3D
	LACIE	2 Big 4TB
		Rugged 1TB
	Magma	Express Box 3T
	Matrox	DS1
	Promise	Pegasus J2
	Seagate	GoFlex Adapter
		GoFlex Desk Adapter
WD	MyBook Thunderbolt Duo 4TB	
	MyBook Thunderbolt Duo 6TB	

3.1.3. USB Pen Drives

Type	Model	
USB 3.0	ADATA	UE700 64G
	IN-TECH	IN-TECH USB3.0 FASH 64GB
	LEXAR	S73 32GB
	SUPERTALENT	ST3U32EDK 32GB
USB 2.0	PATRIOT	XPORTER MAGNUM 210X 64GB
	Team	Team Fusion PlusII F105+ 8GB
	TOSHIBA	U2P-008GT 8GB

3.1.4. USB Hubs

Type	Model	
USB 2.0	ELECOM	U2H -TM400BBK

3.2. Audio

3.2.1. Audio Decoder

Type	Model	
SPDIF	PIONEER	VSX-1020-K
	Yamaha	DSP-AX4600

3.2.2. Earphone Devices

Type	Model	
Line Out	Philips	SHM3100
	VIONET	Audio350

3.2.3. Microphone Devices

Type	Model	
MIC In	KOSS	SB45
	Philips	SHM3100

3.2.4. Sound Adapters

Type	Model	
PCIEX1	ASUS	ROG XONAR PHOEBUS
USB 2.0	ASUS	ROG ORION PRO
		ROG VULCAN PRO
		XONAR U3

3.2.5. Speaker

Type	Model	
Line out	Logitech	X530

3.3. Controller Cards

3.3.1 Graphic Cards

Type	Model	
AMD Chipset	ASUS	ASUS ARES/2DIS/4GD (BIOS:V689C.12.20.0.17.AS01)
		ASUS EAH5450 SILENT/DI/1GD3(LP) (BIOS:V68F9.12.16.2.2.AS03)
		ASUS EAH5550/DI/HM512D3/V2 (BIOS:V68DA.12.20.0.23AS03)
		ASUS EAH5750 FML/DI/1GD5/A (BIOS: 68BE.12.20.0.10.AS02)
		ASUS EAH6450 SILENT/DI/1GD3(LP) (BIOS:V9460.11.22.1.0.AS01)
		ASUS EAH6570/DI/1GD3(LP)C331P (BIOS:V6759.13.11.0.14.AS01)
		ASUS EAH6670 DC SL/DI/1GD3 (VBIOS:V13.12.0.8.AS04)
		ASUS EAH6750 FML/DI/1GD5 (BIOS:V12.20.50.AS01)
		ASUS EAH6770/DI/1GD5 (BIOS: V12.20.0.50.AS05)
		ASUS EAH6850 DC/2DIS/1GD5 (BIOS: V6739.13.7.0.2.AS01)
		ASUS EAH6870/2DI2S/1GD5 (BIOS: V6738.13.6.0.6.AS01)
		ASUS EAH6870 DC/2DI2S/1GD5 (BIOS:V6738.13.10.0.9.AS01)
		ASUS EAH6950/2DI2S/2GD5 (BIOS:V6719.13.8.0.9.AS01)
		ASUS EAH6950 DCII/2DI4S/2GD5 (BIOS:V6719.13.10.0.9.AS01)
		ASUS EAH6970/2DI2S/2GD5 (BIOS:V6718.13.8.0.9.AS01)
		ASUS EAH6990/3DI4S/4GD5 (BIOS: V671D.13.11.0.14.AS01)
		ASUS HD7850-DC2T-2GD5-DI2S(C403) (BIOS: V6819.15.17.0.0.AS02)
		ASUS HD7870 -DC2-2GD5 (BIOS:V6818.15.15.0.2.AS01)
		ASUS HD7970/3GD5/DI2S (BIOS: V6798.15.12.0.4.AS02)
		ATI FireProV3700/256M (BIOS:010.088.000)
		ATI FireProV3750/256M (BIOS: 010.000.000)
		ATI FireProV4800/1024M (BIOS:012.020.000)
		ATI FireProV5700/512M (BIOS:011.009.000)
		ATI FireProV5900/2048M (BIOS:V013.011.000)

Type	Model	
AMD Chipset	AMD	ATI FireProV7800P/2048M (BIOS:V012.020.000)
		ATI FireProV8700/1024M (BIOS:011.015.000)
	Maxsun	Maxsun HD5670/512M/DDR5(HM1024M) (BIOS:V012.020.000.013.036884)
		Maxsun HD6450/1024MB/64bit/GDDR3 (BIOS: V013.012.000.019)
	PowerColor	PowerColor HD6570 Vortex/1G/DDR5 (BIOS :V013.012.000)
	nVidia Chipset	ASUS
ASUS ENGT430/DI/1GD3 (BIOS:V70.08.29.00.AS04)		
ASUS ENGTS450 DIRECTCU/DI/1GD5 (BIOS:V70.06.0F.00.AS01)		
ASUS ENGT520/DI/1GD3 R1.01 (BIOS: V75.19.1B.00.AS035)		
ASUS ENGTX560 TI DCII/2DI/1GD5 (BIOS:V70.24.11.00.AS02)		
ASUS ENGTX570/2DI/1280MD5 (BIOS:V70.10.17.00.AS02)		
ASUS ENGTX570 DCII/2DIS/1280MD5 (BIOS:V70.10.1B.00.AS01)		
ASUS ENGTX580/2DI/1536MD5 (BIOS:V70.10.17.00.AS01)		
ASUS ENGTX590/3DIS/3GD5 (BIOS: V70.10.37.00.AS02)		
ASUS GT610 SL 1GD3 L (BIOS: V75.19.55.00.AS01)		
ASUS GT620 1GD3 L (BIOS: 70.08.AD.00.AS01)		
ASUS GT640 2GD3 (BIOS: 80.07.26.00.AS01)		
ASUS-GTX670-DC2T-2GD5 (BIOS:V80.04.19.00.AS02)		
ASUS GTX690-4GD5 (BIOS: V80.04.1E.00.AS01)		
EVGA		
		EVGA GEFORCE 8600GT-256M (BIOS: V60.84.35.00.01)
Gigabyte		Gigabyte GV-N450-1GI (BIOS:V70.06.1F.00.01)
nVidia		Nvidia Quadro 600/2.5G (BIOS: 70.08.27.00.02)
		Nvidia Quadro 2000/1024M
		Nvidia Quadro 4000/2048M
PNY		PNY Geforce9600GT512M (BIOS:V62.94.21.00.51)
XFX		XFXGeFORCE8600GTS/256M (BIOS:V60.84.18.00.83)

Type	Model	
Matrox	Matrox	G550 32M Rev. A (BIOS: V.1.5.015)
		P690 Plus LP PCI (BIOS:V1.80)

3.3.2. 1394 Cards

Type	Model	
PCIEX1	Rosewill	RC-504

3.3.3. SATA Controller Cards

Type	Model	
PCIEX4	ASUS	U3S6-1.02G (BIOS: V0.0.0.1012)

3.3.4. SATA RAID Controller Cards

Type	Model	
PCIEX1	HighPoint	RocketRAID620 (BIOS: V1.0)
PCIEX4	HighPoint	Rocket 640L (BIOS: V1.0)

3.3.5. SAS RAID Controller Cards

Type	Model	
PCIEX4	HighPoint	RocketRAID 2640
PCIEX8	Adaptec	ASR-5805
	Areca	ARC-18882I
	ATTO	ExpressSAS H6F0 GT
	DELL	H700
	HighPoint	RocketRAID 2720
	Intel	RS2SG244
	LSI	MegaRAID SAS 9265-8i

3.4. Ethernet

3.4.1. 100 BaseTx Networking Cards

Type	Model	
USB 2.0	Buffalo	LUA3-U2-ATX

3.4.2. 1000 BaseTx Networking Cards

Type	Model	
PCIEX1	ASUS	PEB-G21 Rev 1.00
	Intel	9301CT
	Rosewill	RC-401-EX
	TP-Link	TG-3468
PCIEX4	PulseJack	JG0-0027NL

3.4.3. Networking Hubs/Switches/Routers

Type	Model	
Switch	ASUS	GX-D1081

3.4.4. Wireless Networking

Type	Model	
USB2.0	ASUS	USB-N13
	AZIO	BTD-V201
	Belkin	N WIRELESS USB ADAPTER

3.4.5. Wireless LAN Access Point

Type	Model	
AP	ASUS	RT-N16

3.5. Fans and Heatsinks

Type	Model	
Socket 1150	Arctic	Cooling Freezer 7 Pro Rev.2
	ANTEC	25-H2O 620
	COOLERMMASTER	X6
		TPC 812
	Intel	XTSH100
		Product Fan (0.20A)
		Product Fan (0.60A)
		Product Fan (0.17A)
	JETART	PC2200
	PROLIMATECH	Samuel 17
	Thermaltake	Contac 29
	Thermaltake	Frio(CLP0564)
TITAN5	SIBERIA FENRIR	
Zalman	CNPS990 MAX	

3.6. Keyboard and Mouse

3.6.1. Keyboards

Type	Model	
USB 1.1 / USB 2.0	Corsair	K90
	FILCO	FKBN104ML/EB
	RealForce	86U 熱昇華鍵帽
	GX-GAMING	IMPERATOR PRO

3.6.2. Keyboard + Mice Combos

Type	Model	
USB 1.1 / USB 2.0	Logitech	K400

3.6.3. Mice

Type	Model	
USB 1.1 / USB 2.0	Logitech	M515
	STEELSERIES	DIABLOIII

3.7. Optical Drives

Type	Model	
USB 3.0	Plextor	PX-B950UE
USB 2.0	MSI	UO881
SATA	ASUS	BW-12B1LT
		DVD-E818A9T
	Pioneer	BDR-207EBK
	SONY	AD-7260S

3.8. Printers/Scanners

3.8.1. Printer

Type	Model	
USB 2.0	Brother	MFC-J625DW
	HP	Color Laser Jet 1600
WIFI	Brother	MFC-J625DW

3.8.2. Scanner

Type	Model	
USB 2.0	Brother	MFC-J625DW
	Epson	CX8300

3.9. TV Cards

Type	Model	
PCIEX1	AverMedia	H727
	Compro	Vista E900F
	Centon	InfiniTV 4 Quad-tuner
	HAUPPAUGE	HVR 2250

3.10. Others Input Device

3.10.1. Apple Devices

Type	Model	
USB 2.0	Apple	iPhone 5 16GB

3.10.2. Android Series Device

Type	Model	
USB 2.0	ASUS	Nexus7 16GB

3.10.3. Bluetooth Adapter

Type	Model	
USB 2.0	AZIO	BTD-V201

3.10.4. Tablets

Type	Model	
USB 2.0	Wacom	Bamboo-CTH-460/K0-C

3.10.5. Web Cams

Type	Model	
USB 1.1	BETOP	BTP-2163

3.10.6. Web Cams

Type	Model	
USB 2.0	DAHEAISHA	Classics 100
	Microsoft	LifeCam Cinema
	不見不散	穿云梭Z50

3.10.7. Floppy Drives

Type	Model	
Normal	Mitsumi	D353M3D
USB 1.1	Mitsumi	D353FUE
	Sony	MPF82E
USB 2.0	Mitsumi	FP-05PUB

3.11. Monitor

Type	Model	
HDMI	Acer	T230H
	ASUS	PA246Q
		VE276Q
		VK278Q
	AOC	e2795Vh
	Chimei	24EH
	Dell	3008WFP
		U2711
	EIZO	HD2441W
	HP	LP2480ZX
	JVC	26DS6BJ
	LG	32Lb9D
	Samsung	S24A350H
Toshiba	42RV500G	
ViewSonic	VX2435WM	
Mini-DisplayPort	Apple	A1316
	Dell	U2913WM

3.12. Video Adapter

Type	Model	
HDMI	世淇	VD-116 HDMI to VGA
		VD-127 HDMI to VGA + 3.5
		G9857 DP to DVI
miniDisplay	APPLE	miniDP to VGA
	Bizlink	miniDP to VGA
		miniDP to DVI
		miniDP to DP
		miniDP to HDMI
	Griffin	miniDP to HDMI/DVI
	WIESON	G9858 miniDP to VGA
		G9858 miniDP to DVI
G9858 miniDP to HDMI		

Note:

- A. New devices and products are launched rapidly. To ensure the optimum product compatibility, ASUS adopts compound combinations and mixed tests to examine multiple operating systems and devices.
- B. ASUS sincerely invite equipment manufacturers to create a win-win cooperation on increasing product compatibility. Please contact us via local service centers or the e-mail provided below:
Jim_Liu@asus.com