



中国国家强制性产品认证证书

证书编号：2020010902282866

委托人名称、地址

南昌华勤电子科技有限公司
江西省南昌市南昌高新技术产业开发区天祥大道 2999 号

生产者（制造商）名称、地址

华硕电脑股份有限公司
中国台湾台北市北投区立德路 15 号 1 楼

生产企业名称、地址

南昌华勤电子科技有限公司
江西省南昌市南昌高新技术产业开发区天祥大道 2999 号

产品名称和系列、规格、型号

笔记本电脑

UX325xxxxxxxxxxxxxxxxx, BX325xxxxxxxxxxxxxxxxx, RX325xxxxxxxxxxxxxxxxx, U3700xxxxxxxxxxxxxxxxx,
UX3300xxxxxxxxxxxxxxxxx, BX3300xxxxxxxxxxxxxxxxx, RX3300xxxxxxxxxxxxxxxxx (“x”可以为 A-Z,a-z,-或
空格;“y”可以为 0-9, A-Z,a-z,-或空格, 仅用于区分销售客户, 不影响产品的安全和电磁兼容性能);
规格:20Vdc, 3.25A (不带电线组件销售) (电源适配器见附件)

产品标准和技术要求

GB 17625.1-2012;GB 4943.1-2011;GB/T 9254-2008

上述产品符合强制性产品认证实施规则 CNCA-C09-01:2014 的要求,
特发此证。

发证日期：2020 年 08 月 27 日 有效期至：2025 年 03 月 29 日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书，证书首次颁发日期：2020 年 03 月 29 日

本证书的相关信息可通过国家认监委网站 www.cnca.gov.cn 查询

经中国合格评定国家认可委员会认可 CNAS C001-P



主任：陆楠



中国质量认证中心



中国国家强制性产品认证证书

附 录

第 1 页 共 1 页

证书编号：2020010902282866

纸 号：

AD2129520	输入：100-240VAC 50/60Hz 1.5A 输出：5Vdc/3A 或 9Vdc/3A 或 15Vdc/3A 或 20Vdc/3.25A；5Vdc/3A 或 9Vdc/3A 或 15Vdc/3A 或 20Vdc/3.25A 或 5-16Vdc3A 或 16-20Vdc3.25A (仅适用于海拔 5000 米及以下地区安全使用)
AD10380	输入：100-240VAC 50/60Hz 1.5A 输出：5Vdc/3A 或 9Vdc/3A 或 15Vdc/3A 或 20Vdc/3.25A；5Vdc/3A 或 9Vdc/3A 或 15Vdc/3A 或 20Vdc/3.25A 或 5-16Vdc3A 或 16-20Vdc3.25A (仅适用于海拔 5000 米及以下地区安全使用)
ADP-65JW A	输入：100-240VAC 50-60Hz 1.5A 输出：5Vdc/3A 或 9Vdc/3A 或 15Vdc/3A 或 20Vdc/3.25A，不带电线组件销售，仅适用于海拔 5000 米及以下
ADP-65SD B	输入：100-240VAC 50-60Hz 1.5A 输出：5Vdc/3A 或 9Vdc/3A 或 15Vdc/3A 或 20Vdc/3.25A；ADP-65FE B，输入：100-240VAC 50-60Hz 1.5A 输出：5Vdc/3A 或 9Vdc/3A 或 12Vdc/3A 或 15Vdc/3A 或 20Vdc/3.25A，不带电线组件销售，仅适用于海拔 5000 米及以下
W19-065N2C	输入：100-240Vac, 50-60Hz, 1.5A; 直流输出1) : 5.0V, 3.0A, 15.0W 或 9V, 3A 或 15V, 3A 或 20.0V, 3.25A, 65.0W; 直流输出 2) : 5.0V, 3.0A, 15.0W 或 9V, 3A 或 15V, 3A 或 20.0V, 3.25A, 65.0W 或 PPS: 3A, 5-16V, 或 3.25A, 16-20V (不带电线组件销售，仅适用于海拔 5000 米及以下)
A19-065N3A	输入：100-240Vac, 50-60Hz, 1.5A; 直流输出： 1) 5.0V/3.0A 15.0W; 9V/3A; 15V/3A/20.0V/3.25A 65.0W. ; 2) 5.0V/3.0A 15.0W; 9V/3A; 15V/3A/ 20.0V/3.25A 65.0W. PPS: 5V-16V/3A, 16-20V/3.25A (产品销售时不带电线组件，仅适用于海拔 5000 米及以下)

注：此附录与证书同时使用时有效。



主 任：

陆 楠

中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2020010902282866

NAME AND ADDRESS OF THE APPLICANT

Nanchang Huaqin Electronic Technology Co.,Ltd.

No.2999, Tianxiang Avenue, High-tech Development Zone, Nanchang City, Jiangxi Province, P.R. China

NAME AND ADDRESS OF THE MANUFACTURER

ASUSTek Computer Inc.

1F., No.15, Lide Rd., 112 Beitou Dist., Taipei City, Taiwan, China

NAME AND ADDRESS OF THE FACTORY

Nanchang Huaqin Electronic Technology Co.,Ltd.

No.2999, Tianxiang Avenue, High-tech Development Zone, Nanchang City, Jiangxi Province, P.R. China

PRODUCT NAME, MODEL AND SPECIFICATION

Notebook PC

UX325xxxxxxxxxxxxxxxxx, BX325xxxxxxxxxxxxxxxxx, RX325xxxxxxxxxxxxxxxxx, U3700xxxxxxxxxxxxxxxxx, UX3300xxxxxxxxxxxxxxxxx, BX3300xxxxxxxxxxxxxxxxx, RX3300xxxxxxxxxxxxxxxxx (x = A-Z, a-z, - or blank; y = 0-9, A-Z, a-z, - or blank, for marketing purpose and no impact safety related construction and critical components); Ratings:20Vdc, 3.25A(Sales without cord set)(Adapter see appendix)

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB 17625.1-2012;GB 4943.1-2011;GB/T 9254-2008

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO.CNCA-C09-01:2014).

Valid from: Aug.27,2020

Valid until: Mar.29,2025

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: Mar.29,2020

The certificate information is available through CNCA's website: www.cnca.gov.cn

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P



President:

Lu Mei



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

APPENDIX

Page 1 of 1

CERTIFICATE NO.: 2020010902282866

PAPER:

AD2129520	输入：100-240VAC 50/60Hz 1.5A 输出：5Vdc/3A 或 9Vdc/3A 或 15Vdc/3A 或 20Vdc/3.25A；5Vdc/3A 或 9Vdc/3A 或 15Vdc/3A 或 20Vdc/3.25A 或 5-16Vdc3A 或 16-20Vdc3.25A (仅适用于海拔 5000 米及以下地区安全使用)
AD10380	输入：100-240VAC 50/60Hz 1.5A 输出：5Vdc/3A 或 9Vdc/3A 或 15Vdc/3A 或 20Vdc/3.25A；5Vdc/3A 或 9Vdc/3A 或 15Vdc/3A 或 20Vdc/3.25A 或 5-16Vdc3A 或 16-20Vdc3.25A (仅适用于海拔 5000 米及以下地区安全使用)
ADP-65JW A	输入：100-240VAC 50-60Hz 1.5A 输出：5Vdc/3A 或 9Vdc/3A 或 15Vdc/3A 或 20Vdc/3.25A，不带电线组件销售，仅适用于海拔 5000 米及以下
ADP-65SD B	输入：100-240VAC 50-60Hz 1.5A 输出：5Vdc/3A 或 9Vdc/3A 或 15Vdc/3A 或 20Vdc/3.25A；ADP-65FE B，输入：100-240VAC 50-60Hz 1.5A 输出：5Vdc/3A 或 9Vdc/3A 或 12Vdc/3A 或 15Vdc/3A 或 20Vdc/3.25A，不带电线组件销售，仅适用于海拔 5000 米及以下
W19-065N2C	输入：100-240Vac, 50-60Hz, 1.5A; 直流输出1) : 5.0V, 3.0A, 15.0W 或 9V, 3A 或 15V, 3A 或 20.0V, 3.25A, 65.0W; 直流输出 2) : 5.0V, 3.0A, 15.0W 或 9V, 3A 或 15V, 3A 或 20.0V, 3.25A, 65.0W 或 PPS: 3A, 5-16V, 或 3.25A, 16-20V (不带电线组件销售，仅适用于海拔 5000 米及以下)
A19-065N3A	输入：100-240Vac, 50-60Hz, 1.5A; 直流输出：1) 5.0V/3.0A 15.0W; 9V/3A; 15V/3A/20.0V/3.25A 65.0W.; 2) 5.0V/3.0A 15.0W; 9V/3A; 15V/3A/20.0V/3.25A 65.0W. PPS: 5V-16V/3A, 16-20V/3.25A (产品销售时不带电线组件，仅适用于海拔 5000 米及以下)

NOTE: This appendix forms a part of the certificate for china compulsory product certification, and must be used together with the certification.



President:

Lu Mei

CHINA QUALITY CERTIFICATION CENTRE